

# Index

- acousto-electric effect, 142
- acousto-electric tomography, (AET), 12, 141, 142
- acquisition surface, 98
- active interrogation, 139
- algebraic reconstruction technique (ART), 44, 84
- analysis
  - commutative harmonic, 167
  - harmonic, 165
- analytic set, 188
- artifact, 13, 40, 65
- attenuated Radon transform, 54
- audible, 70
  
- backprojection, 34
- Beer's law, 23
- Bell, A. G., 98
  
- Calderón problem, 94
- central slice formula, 32
- co-spectrum, 189
- collimation, 22
- collimator, 7, 22
- commutative harmonic analysis, 167
- Compton camera, 22, 62
- computed tomography (CT), 3, 22
  - fully 3D, 16
- conditions
  - evenness, 45
  - moment, 45
  - range, 45
- cone-beam projection, 23
- conical neighborhood, 69
- contrast, 12
- coordinates
  - normal, 27
  - polar, 47
  
- cost, 13
- coupled physics technique, 16, 93, 95
- Coxeter cross, 108
- current density imaging, (CDI, CDII), 12
- data
  - incomplete, 13
- detector
  - circular, 103, 105
  - integrated, 103
  - linear, 103, 104
  - planar, 103
  - point, 98
- determinant
  - regularized, 51
- Dirichlet-to-Neumann map, 88
- divergent beam transform, 25
  
- effect
  - photoacoustic, 98
- elastography, 11, 91
  - magnetic resonance, 12
- electrical impedance imaging, 9
- electrical impedance tomography (EIT), 9, 11
- elliptic equation, 13
- ellipticity
  - Douglis–Nirenberg, 155
- emission tomography, 5
- equation
  - elliptic, 13
  - hyperbolic, 13
  - radiative transfer, 25, 53
  - transport, 13
  - wave, 13
  
- $\tilde{f}$  - multidimensional Fourier transform, 29
- factorization formula, 32
  
- fan-beam projection, 23
- filtered backprojection (FBP), 38, 122
  - formula, 38
  - in thermoacoustic tomography (TAT), 122
- filtration, 38
- focusing
  - synthetic, 141
- formula
  - central slice, 32
  - filtered backprojection (FBP), 38
  - Fourier-slice, 32
  - Poisson–Kirchhoff, 100
  - projection-slice, 32
  - $\rho$ -filtered backprojection, 38
- forward operator
  - $\mathcal{M}$ , 101
  - $\mathcal{W}$ , 99
- Fourier integral operator (FIO), 15, 85
- Fourier transform, 29, 172
- Fourier-slice formula, 32
- Fredholm, 152
- Fredholm alternative, 115
- Fredholm operator, 184
- fully 3D computed tomography (CT), 80
- fully 3D imaging, 77
- fully 3D X-ray computed tomography, 16
- function
  - essentially band-limited, 42
  - ridge, 33
  
- $\hat{g}$  - 1D Fourier transform, 29
- geodesic Radon transform, 89
- geometric tomography, 19

- goal in thermo-/photoacoustic tomography (TAT/PAT), 99
- Goursat problem, 79
- harmonic analysis, 165
- Helmholtz representation, 127
- high frequency tomography, 72
- Hilbert transform, 37
- Hilbert–Schmidt operators, 186
- Hölder stability, 42
- hole theorem, 48
- hybrid, 16
- hybrid method, 12, 95
- hybrid technique, 93
- hyperbolic equation, 13
- ideals
  - operator, 51
- image processing, 3
- image reconstruction, 3
- image registration, 94
- image understanding, 3
- imaging
  - current density, 12
  - direct, 22
  - electrical impedance, 9
  - magnetic resonance, 8
  - projection, 21
- imbedding, 50
- inaudible, 70
- incomplete data
  - due to trapping, 118
  - in thermoacoustic tomography (TAT), 110
- incomplete data artifacts, 102
- index of  $A$ , 184
- instability
  - exponential, 43
- integral geometry, 19, 26, 101, 117
- intensity modulated radiation therapy treatment planning, 62
- interior problem, 67
- inverse
  - left, 40
- inverse conductivity problem, 94
- inverse crime, 40
- inverse problem, 3
- inverse spectral problem, 4
- inversion
  - algorithm, 102
  - stability of, 42
- inversion formula, 102
  - closed-form, 121
  - local, 49
  - non-local, 49
- inversion method, 12
- invertible regularizer, 184
- invisibility, 88
- invisible, 70
- John’s equation, 16, 79
- John’s parametrization, 16
- John’s transform, 27, 28
- $k$ -plane transform, 27
- $x$ -operator, 80
- $\Lambda_\sigma$ , 88
- left inversion, 40
- left regularizer, 152, 185
- left semi-Fredholm operator, 152, 185
- Lipschitz stability, 42
- local, 49
- local tomography, 72
- locality, 153
- $\mathcal{M}$ , 101
- Mackey, G., 165
- magnetic resonance elastography (MRE), 12, 91, 94
- magnetic resonance electrical impedance tomography (MREIT), 12
- magnetic resonance imaging (MRI), 8, 11
- matrix
  - Hermitian, 162
- medical imaging, 3
- Mellin transform, 32, 180
- method
  - hybrid, 93
- microlocal analysis, 15, 65, 86
- Minkowski–Funk transform, 7
- mollifier, 161
- multiphysics technique, 93
- multiwave technique, 93
- Noether operator, 184
- noise
  - statistical, 23
- noncommutative harmonic analysis, 167
- nontrapping condition, 182
- nonuniqueness, 41
- nonuniqueness set, 105
- normal coordinates, 27
- normal operator, 36
- nuclear magnetic resonance (NMR), 8, 87
- nuclear magnetic resonance (NMR) imaging, 87
- numerical phantom, 39
- Nyquist condition, 177, 178
- observation surface, 98
- observation time
  - finite, 109, 117
  - infinite, 109, 116
- Oka’s principle, 188
- “old” integral geometry, 19
- $\omega^\perp$ , 29
- operator
  - Fourier integral, 85
  - Fredholm, 184
  - Noether, 184
  - spherical mean, 101
- operator ideal, 51, 186
- optical coherence tomography (OCT), 147
- optical tomography (OT), 11, 90
- oversampling, 178
- parallel beam projection, 23
- parametrix, 85, 125
- passive version of TAT, 139
- Petrovsky ellipticity, 154
- phantom
  - numerical, 39
  - physical, 40
- $\Phi(E, F) \subset L(E, F)$ , 184
- photo-, optoacoustic tomography (PAT/OAT), 12
- photoacoustic effect, 7, 93
- photoacoustic tomography (PAT), 97, 98
- physical phantom, 40
- point detectors, 98
- positron emission tomography (PET), 11
- principal analytic, 188
- principal value (p.v.), 38
- problem
  - inverse, 3
  - inverse spectral, 4
- projection
  - cone-beam, 23
  - fan-beam, 23
  - parallel beam, 23

- projection imaging, 21
- projection-slice formula, 32
- pseudodifferential operator ( $\Psi$ DO), 15, 152
- pseudolocality, 153
- p.v.* (principal value), 38
- quantitative PAT (QPAT), 139, 151
- radar, 11
  - synthetic aperture, 149
- radiative transfer equation (RTE), 25, 53
- Radon, 7
  - transform, 7, 25
    - continuity, 33
    - dilation invariance, 31
    - Fourier inversion formula, 39
    - inversion, 36
    - range, 45
    - rotation invariance, 31
    - shift invariance, 30
- Radon–John transform, 27
- range conditions, 13
  - in thermoacoustic tomography (TAT), 112
- range descriptions, 102
- range theorem, 46
- reflection tomography, 5
- region of interest (ROI), 49
- region of interest (ROI) imaging, 67
- regularized determinant, 187
- regularizer, 184
- resolution, 12
- $\rho$ -filtered backprojection, 38
- ridge function, 33
- Riesz potential, 38
- right regularizer, 185
- right semi-Fredholm, 185
- $S^1$ , 161
- $\mathcal{S}$  - Schwartz space, 29
- s-number, 186
- safety, 13
- sampling, 177
- sampling theorem, 178
- scan
  - ultrasound, 8
- scattering amplitude, 53
- Schatten–von Neumann classes, 186
- Schwartz space, 29, 162
- semi-Fredholm operators, 185
- Shatten–Neumann class, 50
- $\Sigma_N$ , 108
- signal-to-noise ratio (SNR), 68
- signed distance, 27
- single photon emission tomography (SPECT), 11
- singular value, 36, 43, 186
- singularity
  - audible
    - in thermoacoustic tomography (TAT), 111
  - visible, 118
    - in thermoacoustic tomography (TAT), 111
- sinogram, 28
- smoothness
  - microlocal, 180
- Sobolev space, 176
- sonar, 11
- sonoelastography, 12, 91, 94
- sound speed reconstruction, 102
- spectral geometry, 4
- spectrum of the operator
  - function, 189
- spherical mean operator, 101
- stability, 12, 42
  - Hölder, 42
  - Lipschitz, 42
- stability of reconstruction, 102
  - in thermoacoustic tomography (TAT), 109
- statistical noise, 23
- Stein manifold, 188
- stiffness, 91
- sufficiency of the data, 101
- support theorem, 48
- surface
  - acquisition, 97, 98
  - observation, 97, 98
- synthetic aperture radar (SAR), 149
- synthetic focusing, 141
- TAT image (tomogram), 97, 98
- Tchebychev polynomial, 45
- theorem
  - “hole”, 48
  - range, 46
- support, 48
- thermoacoustic tomography (TAT), 12, 97
  - filtered backprojection, 122
- tomographic, 3
- tomography, 3
  - acousto-electric (AET), 12, 141, 142
  - computed (CT), 3, 22
  - discrete, 11
  - Doppler, 11
  - electrical impedance (EIT), 11
  - electron, 11
  - emission, 5, 53
  - high frequency, 72
  - Internet, 11
  - local, 72
  - luminescence, 11
  - magnetic resonance electric impedance (MREIT), 12
  - old, 21
  - optical (OT), 11, 90
  - optical coherence (OCT), 147
  - optoacoustic (OAT), 12
  - photoacoustic (PAT), 12, 97
    - quantitative (QPAT), 151
  - polarization, 11
  - positron emission (PET), 11
  - reflection, 5
  - single photon emission (SPECT), 11
  - thermoacoustic (TAT), 12, 97
  - traditional, 21
  - transmission, 5
  - ultrasound (UT), 11
  - ultrasound modulated optical (UMOT), 12, 141, 147
- totally real, 56
- trace class operators, 186
- traditional “old” tomography, 8
- transform
  - Abel-type, 45
  - divergent beam, 25
  - Fourier, 29
  - Hilbert, 37
  - John’s, 28
  - $k$ -plane, 27
  - Mellin, 32
  - Radon, 7, 25, 29

- generalized, 62
- geodesic, 89
- weighted, 62
- X-ray, 25, 29
- transmission tomography, 5
- transport equation, 13
- trapping, 110, 118, 182
- ultrahyperbolic, 79
- ultrasound imaging (tomography) (UT), 11, 91
- ultrasound modulated optical tomography (UMOT),
  - 141, 147
  - ultrasound scan (US), 8, 141
  - ultrasound tomography, 11
  - UMOT, UOT, 12
  - undersampling, 178
  - uniqueness, 12
  - uniqueness set, 105
  - unit normal vector, 27
- visibility zone, 111
- visible, 70
- $\mathcal{W}$ , 99
- wave equation, 13
- wavefront set, 15, 180
- Whittacker–Kotel’nikov–Shannon theorem, 178
- X-ray, 7
  - computed tomography (CT), 11, 22
  - picture, 21
  - transform, 25