

Index

- A-discriminant, 217, 224
- adjoint, 209
- affine linear pencil, 353
- algebraic boundary, 205, 207, 211, 224, 226
- algebraic degree, 220
 - semidefinite programming, 236
- algebraic interior, 255
- algebraic set, 294
- analytic center, 239
- analytic polynomial, 357
- Ando theorem, 439
- Archimedean property, 115, 277
- Archimedean semiring, 437
- atoms, 39

- Bergman kernel, 414
- biduality, 209, 211, 217, 243
- binary optimization, 28
- bitangent line, 225
- Blaschke product, 419
- border vector, 371, 374
- border vector–middle matrix, 371
- bounded degree representation, 277
 - Putinar–Prestel, 278
 - Schmüdgen, 278

- calibrated geometry, 323
- Cayley’s cubic surface, 232
- Cayley–Bacharach relations, 174
- characteristic polynomial, 447
- characteristic vector, 330
- Chebyshev inequality, 139
- Cholesky, *see* decomposition
- CHSY lemma, 380
- clamped second fundamental form, 388
- clamped tangent plane, 388, 390
- closed loop system, 343

- combinatorial optimization, 330
- commutative collapse, 389
- commutator, 349, 362, 365, 369
- complementary slackness, 13, 206, 214, 234
- completely positive matrix, *see* matrix
- complex symmetric linear transform, 411
- concave function, 451
- cone, 209
 - dual, 117, 209
 - Lorenz, 253; *see* cone second-order
 - pointed, 21
 - proper, 7, 21
 - second-order, 22, 211, 253
 - semidefinite, 231
 - solid, 21
 - sums of squares; *see* sums of squares cone
- congruence transformation, 448
- conic programming, 19
- conical hull, 5
- conormal variety, 215
- convex body, 211
 - dual, 211
- convex boundary, 288
- convex forms
 - cone of, 195
 - volume of, 196
- convex function, 451
- convex hull, 5
- convex optimization problem, 453
- convex polynomial, 350, 354–356, 377, 398
- convex quadrics, 321
- convex set, 451

- convex sum of squares, 271, 274
- copositive matrix, *see* matrix
- corner point, 265
- correlation matrix, 209, 232, 234
- curvature, 264
 - nonnegative, 264
 - positive, 264
- cyclic forms, 134
- cyclohexatope, 238
- decomposition
 - LDL^T , 449
 - Cholesky, 449
 - eigenvalue, 449
- defining polynomial, 255
- dehomogenization, 211, 215
- density matrix, 140
- dimension free, 342, 344
- directional derivative, 362, 365, 367
- discriminant, 217
- dissipative system, 344
- domain of regularity, 358
- dual cone; *see* cone/dual
- dual optimization problem, 213
- dual variety, 215, 216, 221
- dual vector space, 209
- duality, 203
 - projective, 207
 - semidefinite programming, 22
 - strong, 22
- ellipsoid, 252
- elliptope, 15, 232
- epigraph, 451
- Euclidean distance matrix, 37
- face, 210
 - dual, 210
 - exposed, 210, 261
 - proper, 211
- facet, 211
- Farkas' lemma, 111
- Fock space, 363, 386
- free
 - analysis, 341
 - convex algebraic geometry, 341
 - convexity, 342, 348
 - positivity, 341
 - probability, 341, 342, 348
 - real algebraic geometry, 341
 - semialgebraic set, 351
 - variables, 356
- full rank point, 388
- genus, 329
- geometric theorem proving, 142
- Gröbner basis, 94, 205, 216, 297
- Gram matrix, 61, 379, 387
- graph
 - perfect, 333
 - Petersen, 35, 337
 - triangle-free, 335
- Grassmannian, 323
- Grothendieck constant, 32
- Hadamard product, 414
- Hermite matrix, 49
- Hermite theorem, 416
- hermitian linear transform, 409
- hermitian structure, 408
- Hessian, 355, 376, 387
 - modified, 392
 - relaxed, 393
- hierarchy of relaxations, 113, 297
- Hilbert space factorization, 413
- Hilbert space realization, 423
- Hilbert's theorem, 162, 325
- homogeneous linear pencil, 353
- homogenization, 211
- hyperbolic, 256
- hyperboloid, 261
- hyperplane rounding, 30
- ideal, 107, 295
 - congruent mod, 297
 - initial, 297
 - Plücker, 323
 - principal, 323
 - real radical, 305
 - Stanley–Reisner, 334
 - vanishing, 305
- independent set, 34

- inequality
 - linear matrix; *see* linear matrix inequality
- inertia, 49,
- inertia, law of, 410
- inertia of a matrix, 449
- inner product, 408
 - apolar, 67
 - Bombieri, 67
 - Fischer, 67
- input space, 343
- interpolation
 - analytic, 35
- intervals, 86
- involution, 352
- irredundant, 265

- Jacobian matrix, 215

- K_3 -cover subgraph problem, 337
- k -ellipse, 17, 254
- Karush–Kuhn–Tucker condition, 452
 - equations, 214
 - general form, 214
 - SDP, 206, 234
- k -sos mod I , 296

- Lagrange multiplier, 213
- Lagrangian, 213, 452
- Lasserre’s method, 296
- LDL^T decomposition, 359
- leading principal minor, 447
- Lifshitz–Krein theorem, 431
- lift-and-project methods, 330
- lifting vector, 261
- line test, 257
- linear matrix inequality, 7, 204, 252, 346, 396
 - monic, 252
- linear pencil, 251, 258, 353, 396
 - affine, 353
 - homogeneous, 353
 - monic, 353, 396, 398
 - symmetric, 353
- linear programming, 4, 293
- linear system, 342, 343

- LMI; *see* linear matrix inequality
- localization, 252, 283
- localizing matrix, 273
 - N th order, 273
- Lovász theta function, 34
- Lyapunov function, 25, 136

- Markov inequality, 139
- MATLAB, 300
- matrix
 - completely positive, 131
 - copositive, 131, 270
 - Euclidean distance, 37
 - pseudo-moment, 315
 - reduced moment, 306
 - shifted reduced moment, 313
 - sum of squares, 87
- matrix convex, 354
- matrix factorizations, 448
- matrix inequality, 346
- matrix positive, 354
- matrix-valued noncommutative polynomials, 352
- maximum cut problem, 28, 335
- middle matrix, 371, 374, 376
 - signature, 378
- min-max principle, 411
- Minkowski sum, 283
- Minkowski–Weyl theorem, 5
- moment curve, 123
- moment matrix, 176, 272
- moment spaces, 123
- moments, 120, 251, 271
- monomial basis, 67
- Motzkin form, 162

- natural map, 384
- NCAgebra, 366
- NCSOStools, 366, 369
- NCvars, 369
- Nevanlinna–Pick theorem, 35, 427
- Newton identities, 49, 50
- Newton polytope, 91, 162
- noncommutative
 - basic open semialgebraic set, 351
 - basic semialgebraic set, 382

- convex, 354, 396
- polynomial, 349, 352
- positive, 354
- rational expressions, 358
- spectrahedron, 396
- nonnegative polynomials
 - algebraic boundary, 172
 - boundary structure, 170
 - cone of, 161
 - dual cone, 168
 - exposed faces, 170
 - on a variety, 296
 - volume of, 187
- nonsingular point, 265
- norm
 - L_p , 212
 - atomic, 39
 - dual, 212
 - Frobenius, 15
 - nuclear, 15, 39
 - operator, 15
- normal form, 297
- normal space, 326
- Nullstellensatz, 110
- odd cycle, 337
- odd wheel, 338
- Ono inequality, 143
- optimal value function, 207, 220, 224, 235
- optimality conditions, 452
- output space, 343
- partial order, 7
- Pataki inequalities, 236
- phase shift, 430
- polyhedron, 4
- polynomial, 349, 352
 - analytic, 357
 - concave, 399
 - convex, 350, 354–356, 362, 368, 377, 396
 - evaluation, 353, 365
 - irreducible, 389
 - linear, 295
 - linear dependence, 387
 - noncommutative, 349, 352
 - positive, 354, 356, 362, 369
 - symmetric, 350, 352, 354, 356
 - trigonometric, 63
 - univariate, 86
 - vanishing, 354
- polynomial identity, 354, 362–364
- polynomial matrix inequality, 282
- polynomial optimization
 - univariate, 76, 77
- polynomial optimization, 76, 213
- polytope, 4, 211
 - 2-level, 318
 - k -level, 330
 - compressed, 319
 - triangle-free subgraph, 335
- positive curvature, 387, 389, 391
- positive definite kernel, 411
- positive semidefinite, 204, 410, 448
- positivity set, 396
- Positivstellensatz, 112, 347, 348, 397
 - Schmüdgen, 115, 273, 321
 - Putinar, 115, 273
- preorder, 107
 - truncated, 264
- principal minor, 447
- probability bounds, 139
- projective space, 215
- projective toric variety, 217
- proper analytic maps, 440
- protrusion, 205
- Pólya theorem, 434
- quadratic module, 107
 - truncated, 264
- QuadratischePositivstellensatz, 372, 380, 386, 391
- quantum
 - entanglement, 140
 - phenomena, 342
- quasi-concave, 265
 - strictly, 265
- Quillen theorem, 432
- $\mathbb{R}\langle x \rangle_k$, 352
- $\mathbb{R}\langle x, x^\top \rangle$, 356

- rank minimization, 39
- rational expressions, 358
 - equivalent, 359
- rational function, 77, 359, 365
 - Bergman, 359
 - convex, 361, 368
 - linear dependence, 384
 - matrix, 359
 - noncommutative, 359
 - positive, 361
- rational sos decompositions, 69
- real Nullstellensatz, 305
- real zero, 256
- redundant, 265
- regular point, 215
- Riccati
 - matrix inequality, 345
 - polynomial, 357
- Riesz–Fejér theorem, 422
- Riesz–Herglotz theorem, 421
- rigidly convex, 257
- root separation, 417

- S-lemma, 80
- S-procedure, 80
- Schönberg matrix, 238
- Schur algorithm, 419
- Schur complement, 253, 345
- Schur theorem, 414
- Schur inequality, 142
- Schur–Agler class, 438
- SDPT3, 41
- second fundamental form, 387
 - clamped, 388
- SeDuMi, 41, 301
- semialgebraic set, 211, 220, 294, 350, 382
 - basic closed semialgebraic, 255, 265
 - basic open semialgebraic, 350
 - basic semialgebraic, 233
 - convex, 396
 - free, 351
 - noncommutative, 351
- semidefinite programming, 7, 233, 293
 - abstract definition, 235
 - semidefinite relaxation
 - Putinar, 273
 - Schmüdgen, 274
 - semidefinite representation, 251, 294
 - separation theorem, 325
 - shadow area, 323
 - signal flow diagram, 343
 - signature of a matrix, 449
 - simplicial complex, 334
 - singular
 - locus, 215
 - point, 215, 265, 327
 - Slater’s condition, 14, 275
 - sos-matrix, 87
 - spectrahedron, 8, 9, 15, 205, 231, 252, 396, 399
 - lifting, 261
 - projected, 9, 261, 294
 - spectral theorem, 409, 427
 - spectraplex, 15
 - stability number, 331
 - stable set, 34, 331
 - polytope, 331
 - problem, 331
 - standard monomials, 297
 - state space, 343
 - Steiner’s quartic surface, 232
 - storage function, 345
 - sum of largest eigenvalues, 262
 - sum of largest singular values, 262
 - sum of squares, 57, 296, 342, 347, 355, 369, 387, 396, 397
 - convexity, 90
 - mod ideal, 296, 298
 - on quotient rings, 94
 - program, 73
 - sums of squares cone
 - algebraic boundary, 172
 - cone of, 161
 - dual cone, 176
 - semidefinite representation, 177
 - volume of, 192
 - symmetric affine linear pencil, 353
 - symmetric polynomial, 350, 352, 356
 - symmetric variables, 352

- tangent plane
 - clamped, 388
- tensor product, 353
 - Kronecker, 353
- theta
 - body, 243, 297, 303
 - body of a graph, 332
 - number of a graph, 333
- Toeplitz matrix, 420
- trace, 7
- triangle-free subgraph problem, 335
- tritangent plane, 227
- Trott curve, 225
- truncated moment vector, 272
- TV screen, 351, 366, 399

- unitary transform, 409

- valid constraint, 107
- variables
 - classes, 357
 - free, 356
 - mixed, 357
- variety, 388
 - compact, 320
 - noncommutative, 388
 - real, 295
 - real algebraic, 294
- Varolin theorem, 440
- Veronese surface, 224
- von Neumann inequality, 425

- YALMIP, 300

- Zariski closure, 211
- zero set, 388; *see* variety