

# Index

- 3SAT, 27
- algorithm, *see* exact or heuristic
- annual average daily traffic (AADT), 336
- Arc Orienteering Problem, 282, 288
- Arc Routing Problem and scheduling with transshipment, 233
- Arcs Postman Problem, 80
- Augmentation Problem, 54
- automated meter reading (AMR), 306, 309, 318
- Automated Vehicle Location (AVL) technologies, 347
- balanced
  - routes, 303, 384, 389
  - trips, 356
  - vertex, 20, 66
- Balanced Billing Cycle Vehicle Routing Problem, 307
- balanced-set
  - conditions, 209
  - inequalities, *see* inequalities
- benchmark instances, 184
  - Albaida, 90
  - bmcv, 173, 184
  - egl, 148, 173, 184, 225
  - egl-g, 173, 184
  - gdb, 148, 173, 184, 224
  - kshs, 173, 184, 225
  - val, 148, 173, 184, 224
- bidirectional labeling, 273
- Bin Packing, 42, 172, 184
- bounds
  - Benavent et al., 166
  - Christofides, 160
  - combinatorial, 160
  - matching, 161
  - multiple cuts node duplication, 70, 236
  - node duplication, 164, 189
  - node scanning, 162
  - Pearn, 163
  - Win, 165
- bridge, 55
- Capacitated Arc Routing Problem (CARP), 11, 19, 34, 85, 131, 159, 183, 233, 257, 339, 341, 355–358, 380, 382, 391
  - benchmark, *see* benchmark instances
  - directed, 225, 356
  - extended, 226
  - mixed, 208, 225, 357
  - mixed fleet, 228
  - multi-compartment, 227
  - multi-depot location, 230, 232
  - multi-objective, 242
  - one-index formulation, 191
  - open, 230
  - periodic, 239
  - split delivery, 215, 236
  - two-index formulation, 191
  - with deadheading demand, 197, 242
  - with flexible or soft Time Windows, 237
  - with intermediate facilities, 358
  - with intermediate facilities and tour length restrictions, 232, 233, 358
  - with mobile depots, 234
  - with multiple intermediate facilities, 357
  - with multiple mobile dump-sites, 358
  - with profits, 290, 292
  - with refill points, 234
  - with stochastic demand, 241
  - with time-dependent service costs, 237
  - with time windows, 237
  - with vehicle-site-dependencies, 228, 359
- Capacitated Vehicle Routing Problem, *see* Vehicle Routing Problem
- CARP with flexible or soft Time Windows, 237
- carrier's book, 374, 385, 386
- Chinese Postman Problem (CPP), 9, 19, 24, 26, 53, 65, 66, 85, 160, 255, 315, 325
  - capacitated, 131, 184, 288
  - cumulative, 53, 55
  - directed, 66
  - generalized, 53, 55
  - hierarchical, 32, 53, 57
  - $K$ -vehicles, 34, 255
  - maximum benefit, 282, 283
  - Min-max  $K$ -vehicles, 34, 256
  - Min-sum  $K$ -vehicles, 34
  - mixed, 26, 66
    - bounded, 80
  - restricted mixed, 80
  - windy, 31, 73, 75
    - Min-max  $K$ -vehicles, 266
  - with profits, 53
  - with time limit constraints, 355
  - with time windows, 53, 61

- Close-Enough Arc Routing
  - Problem, 122
- Close-Enough Traveling Salesman
  - Problem, 122
- Clustered Prize-Collecting ARP, 365
- collection
  - days, 353
  - door-to-door, 361
  - frequency, 354
  - garbage, 57, 95, 283, 385
  - household waste, 390
  - problem, 353
  - routes, 354
- computerized routing, 304, 305
- connectivity, *see* inequalities
- constraints, *see* inequalities
- cuts, *see* inequalities
- Cutting Path Determination
  - Problem, 230
- deadheading, 29, 87, 184, 315, 316, 336, 337, 341, 358, 360
  - cost, 285
  - demands, 215
  - edges, 86, 87, 95, 131
- deadline classes, 313
- Decision Support System (DSS), 356, 357, 365, 366
- decisions
  - follower, 207
  - nonfollower, 207
- decremental search space, 273
- Deliveryman Problem, 55
- DI, 389
- Distribution Innovation AS, 386
- dominance relations, 85, 87
- Downhill Plow Problem, 277
- drawing figures, 3
- drilling machines, 85
- dump-sites, 356, 357
- DYPSA, *see* heuristic
- edge
  - tasks, 359
  - traversals, 95
- Edges Postman Problem, 80
- electrified copper string, 96
- ESRI ArcView interface, 356
- Eulerian (or unicursal)
  - cycle, 54, 91, 304
  - extension, 37
  - graph, 6, 7, 53, 66, 86, 87, 91, 95
- exact algorithm
  - branch-and-bound, 62, 72, 90, 112, 183, 285, 326, 335
  - branch-and-cut, 72, 79, 91, 96, 112, 183, 257, 287, 296, 297, 382
  - branch-and-cut-and-price, 382
  - branch-and-price, 118, 183, 291, 293, 297
  - branch-price-and-cut, 271
  - column generation, 326, 327, 329
  - cutting-plane, 72, 90, 91, 112, 183, 287
  - Dantzig–Wolfe
    - decomposition, 328
  - Dror, Stern, and Trudeau, 58
  - dual ascent, 197
  - Fleury, 55
  - Ghani and Improta, 58
  - Held and Karp, 39
  - Hierholzer, 54
  - labeling, 273
  - subtour elimination, 190
  - Win, 73
- extended  $k$ -routes, 206
- factor  $d(|x|)$  approximation, 22
- fixed-parameter tractable (FPT), 23
- flame cutting, 57
- fleet configuration, 340
- FleetRoute™ software, 344, 345
- flow splitting, 291
- Free Newspaper Delivery
  - Problem, 379
- Garmin GPS units, 344
- General Routing Problem (GRP), 85, 101, 287, 353, 380
  - capacitated, 234, 381
  - directed, 120
  - mixed, 104
    - capacitated, 211, 235, 372, 380, 381, 383, 388, 390, 391
    - windy, 91, 104, 270
- Generalized Assignment
  - Problem, 333
- GenRoutes, 202
- geographic
  - Base File/Dual Independent Map Encoding, 304
  - compactness, 354
  - information system (GIS), 305, 318, 355, 357, 359, 361, 365, 366
- GeoRoute, 366
- GPS-based vehicle location and route guidance
  - systems, 343
- GRASP, *see* heuristic, Greedy
- green logistics, 351, 365
- Hamiltonian cycle, 33
- heuristic, 197
  - 1-move, 294
  - 1-opt, 286
  - 1-step improvement
    - algorithm, 290
  - 2-interchange, 118, 261
  - 2-opt, 93, 94, 228, 286, 353, 389
  - 3-opt, 93, 94
  - A-ALG, 139
  - adaptive large neighborhood
    - search, 241, 342
  - adaptive memory, 291
  - add, 92, 93
  - ant colony, 147, 234, 287, 357, 379
  - arc partitioning, 304
  - augment-insert, 139
  - augment-merge, 134, 227, 256
  - biased random-key GA, 146
  - branch-and-scan, 286
  - CARPET, 142, 233
  - Christofides, 38, 54, 91, 120
  - Clarke and Wright, 329
  - cluster, 256, 306
  - cluster-first route-second, 139, 333, 389
  - connection, 286
  - construct-strike, 132
  - constructive, 90, 91, 113, 326, 357
  - convex hull, 306
  - cycle-assignment, 139
  - cycle transfers, 95
  - data perturbation, 225
  - decomposition-based
    - memetic with extended neighborhood search, 243
  - directed tree expansion, 286
  - double outer scan, 139
  - drop, 93

- dual, 159
- dual ascent, 197
- DYPSA, 142
- end-pairing, 54, 60
- Even MCPP, 67
- evolutionary, 232
- Frederickson, 38, 91, 94
- genetic, 225
- Ghiani, Laganà, Musmanno, 94
- global repair operator, 145
- greedy, 315, 326, 327
  - add-drop, 340
  - GRASP, 143, 287
  - GRASP with
    - evolutionary path
    - relinking, 144, 237
- Groves and van Vuuren, 93
- guided local search, 145, 228, 355
- guided variable
  - neighborhood
  - thresholding, 355
- higher up vertex, 96
- hybrid, 291
  - ant colony, 227, 232
- improvement, 326, 340
  - Hertz, Laporte, Nanchen–Hugo, 92
- insertion, 353, 354
- iterated local search, 121, 260
- Jansen, 38
- $k$ -means, 389
- local search, 95, 118, 228, 293, 355, 357, 358
- LOCSAR, 315, 316
- matheuristic, 288, 359
- memetic, 145, 226, 357
  - with extended
    - neighborhood search, 146
- mixed1, 67
- mixed2, 68
- mixed, 68
- modified
  - augment-merge, 227
  - construct-strike, 138
  - merge, 227
  - mixed, 68
  - path-scanning, 139, 227
  - Ulusoy's tour
    - partitioning, 227
- Monte Carlo, 91
- moving promise, 294
- multi start, 119, 121, 225, 260
- nearest neighbor, 227
- node duplication, 139
- Or-opt, 118, 261, 353
- parallel-insert, 138, 341
- path-scanning, 134, 227, 356
- postpone, 92
- preferable neighbor, 237
- $r$ -opt, 93
- random-path-scanning, 138
- reverse, 92
- reversing direction, 118, 261
- route-first-cluster-second, 304
- route-merging, 240
- scatter-search, 119, 239
- shorten, 92, 93, 238
- shortest optimal tour
  - partitioning, 140
- simulated annealing, 141, 142, 232
- split, 137, 141, 230
- stochastic, 290
- swap-move, 294, 329
- tabu scatter search, 147
- tabu search, 113, 142, 144, 288, 293, 329, 354, 355, 379
- tour construction, 189
- Ulusoy, 136, 227
- variable neighborhood
  - descent, 143, 234, 260, 288
- variable neighborhood
  - search, 143, 225, 233, 288, 291, 293, 355, 358
- vehicle decomposition
  - algorithm, 229
- Win, 74
- hierarchical
  - objective, 61, 244, 293, 330
  - relaxation lower bound, 171, 239
- Household Waste Collection
  - Problem, 360
- ICT technology, 385
- inequalities
  - aggregate, 268
  - capacity, 171, 192
  - HC, 267
  - K-C, 266
- $L$ -tour, 258
  - parity, 171, 258
  - $R$ -odd cut, 264
- balanced-set, 70, 105, 209
- blossom, 54
- capacity, 192
- Chvátal–Gomory, 79, 275
- clique, 274
- cocircuit, 88, 90, 191, 264
  - generalized, 57
- comb, 195
- connectivity, 105, 191, 257, 263, 329
- disaggregate, 268
  - HC, 268
  - K-C, 266
  - parity, 264
  - PB, 268
- disjoint path, 173, 193
- even set, 57
- flow conservation, 263
  - generalized, 210
- fractional capacity, 196
- framed capacity, 195
- honeycomb (HC), 90, 108, 264, 267
- K-C, 90, 105, 264, 265, 284, 286
- $k$ -wheel, 75
- matching, 90
- max-length, 270
- minimal cover, 195
- mod- $k$ , 79
- multistar, 195
- nonpairing, 212
- odd-cut, 54, 57, 70, 192
- P-aggregate
  - HC, 267
  - K-C, 266
  - parity, 264
  - PB, 268
- pairing, 212
- parity, 95, 284
- path-bridge (PB), 90, 106, 107, 264
- $R$ -even, 87
- $R$ -odd, 87, 105, 110, 264
- spacing, 95
- strengthened comb, 195
- strong cumulative
  - connectivity, 95
  - parity, 95
  - PB, 95
- subset row, 200, 275

- subtour elimination, 285, 288
  - generalized, 198
- tour parity, 258
- traversing, 71, 263
- zigzag, 76, 111
- $k$ -loop, 203
- $k$ -partition, 35
- Königsberg bridges problem, 1
- Lagrangian dual problem, 326
- Lagrangian relaxation, 89, 327
- laser-plotter beam movements, 85
- last mile
  - carrier delivery, 383, 390, 391
  - distribution, 372, 376
- least-cost augmentation, 53
- link, 65, 101, 359, 381
- Location Routing Problem, 316
- mail delivery, 390
- maintenance of transportation networks, 95
- mazes and labyrinths, 4
- meter reading, 230, 303, 304, 318
- Min-max Postmen Cover, 276
- Min-max Rural Postmen Cover, 276
- Minimal Arc Partitioning Problem, 316
- Minimum Cost Eulerian Orientation Problem, 80
- Minimum Cost Flow Problem, 113, 285, 286
- Minimum Cost Matching Problem, 9, 38, 53, 54, 58, 60, 66, 89, 91, 113, 189, 285
- Minimum Cycle Cover Problem, 80
- Minimum Empty Path, 96
- Minimum Latency Problem, 55
- Minimum Spanning Tree Problem, 86
- Multi-depot Snow Removal Routing Problem with Time Windows, 328
- newspaper delivery, 371, 375, 376, 378, 385
- $ng$ -path relaxation, 206, 273
- Node, Edge, and Arc Routing Problem, 211, 235, 380, 390
- Not All Equal Satisfiability Problem, 30
- One-period Bus Touring Problem, 290
- OptiRoute, 366
- Optrak Waste Management Software, 366
- Partition Problem, 358
- plotting machines, 85
- Plowing with Precedence Problem, 80, 276
- Prize-Collecting Connected Subgraph Problems, 329
  - Steiner Tree Problem, 329
- problem kernel, 23
- Profitable Arc Tour Problem, 94, 290
- Profitable Tour Problem, 281
- $q$ -routes, 198
- $R$ -even
  - inequalities, *see* inequalities set, 87, 88
  - vertex, 114
- $R$ -odd
  - cutset, 110
  - inequalities, *see* inequalities set, 87, 88
  - vertex, 114
- $R$ -sets, 114
- Radio frequency identification (RFID), 306, 309, 318
- reverse logistics, 374
- RouteSmart Technologies, 304–307, 318, 366
- Rural Postman Problem (RPP), 10, 19, 61, 101, 184, 233, 283, 358
  - directed, 120
    - clustered, 122
    - Generalized, 122
  - directed and mixed with turn penalties, 121
  - Dynamic, 94, 96
  - Hierarchical, 334
  - Min-max  $K$ -vehicles, 259
    - windy, 260
  - mixed, 102
- Periodic, 95
- Privatized, 286
- Prize collecting, 94, 282, 286, 288
  - undirected, 85
  - windy, 114, 260
    - extended, 123
    - with zigzag service (WRPPZ), 123
  - with deadline classes, 94, 95
  - with multiple edge services, 94
- salt spreading, 303, 310, 311, 313, 316, 318, 325
  - applications, 314
  - arc routing model, 311
  - exact solution methods, 314
  - heuristic solution methods, 314
- Sectoring Arc Routing Problem, 231
- Sectorization, 358
- Sectors, 316, 338, 340
- Set Covering Problem, 191, 193, 237, 327
- Set Partitioning Problem, 193, 326
- shortest path, 92, 94
  - tour lower bound, 258
- SIRUS, 357
- snow
  - and ice control, 303
  - disposal, 321, 324
  - plowing, 57, 95, 283, 311, 321–324, 330, 331, 342–344, 346
  - removal, 321, 325, 326, 328, 341, 343, 346, 347
  - salting, 283
- Solid Waste Management (SWM), 351, 352, 355, 365, 366
- Spatial Decision Support System, 235
- Spider, 236, 386
- Stacker Crane Problem, 39, 120
- Street Routing and Scheduling Problem, 379, 383
- supply chain, 372–374, 376, 385, 391
- tandem operation, 342
- Team Orienteering Arc Routing Problem, 290, 294
- Team Orienteering Problem, 281

- test sets, *see* benchmark instances
- thermal mapping, 313, 317
- TransCAD, 366
- Traveling Salesman Problem
  - (TSP), 37, 54, 91, 227, 306, 337, 380
  - asymmetric, 55, 112
  - Cumulative, 55
  - Generalized, 55, 111
  - Prize-Collecting, 281, 297, 329
  - with profits, 281
- U-turns, 304, 388
- Vehicle Routing Problem (VRP),
  - 42, 131, 185, 353, 355, 365, 377, 379–381, 388, 390, 391
  - directed, 225, 234, 354
  - Generalized, 185, 188
  - Open VRP with Time Windows and Zoning Constraints, 378
  - Periodic, 95
    - with Intermediate Facilities, 354
    - with Time Windows, 353
  - stringed, 385
  - with Backhauls, 244, 380
  - with route balance, 385
  - with Time Windows, 273, 380
- Vertex Cover, 22
- W[1] class, 23
- Web-based
  - interface, 386
  - route design and revision system, 372
  - service, 385
  - Spatial DSS, 357
  - System, 376
- Web GUI, 388
- winter
  - gritting, 311, 314
  - road maintenance, 303, 310, 321–323, 325, 335, 337, 346, 347
  - scheduling problem, 334
- XP class, 23
- zigzag, 123, 304, 359, 375
  - inequalities, *see* inequalities
- zoning procedure, 354