

Contents

| | |
|---|-----------|
| Preface | xi |
| 1 Introduction | 1 |
| 1.1 Why derivative-free optimization | 1 |
| 1.2 Examples of problems where derivatives are unavailable | 3 |
| 1.3 Limitations of derivative-free optimization | 5 |
| 1.4 How derivative-free algorithms should work | 7 |
| 1.5 A short summary of the book | 11 |
| I Sampling and modeling | 13 |
| 2 Sampling and linear models | 15 |
| 2.1 Positive spanning sets and positive bases | 15 |
| 2.2 Gradient estimates used in direct search | 21 |
| 2.3 Linear interpolation and regression models | 24 |
| 2.4 Error bounds for linear interpolation and regression | 26 |
| 2.5 Other geometrical concepts | 29 |
| 2.6 Simplex gradients | 32 |
| 2.7 Exercises | 33 |
| 3 Interpolating nonlinear models | 35 |
| 3.1 Basic concepts in interpolation | 36 |
| 3.2 Lagrange polynomials | 39 |
| 3.3 Λ -poisedness and other measures of well poisedness | 42 |
| 3.4 Condition number as a measure of well poisedness | 48 |
| 3.5 Exercises | 56 |
| 4 Regression nonlinear models | 57 |
| 4.1 Basic concepts in polynomial least-squares regression | 58 |
| 4.2 Lagrange polynomials in the regression sense | 60 |
| 4.3 Λ -poisedness in the regression sense | 62 |
| 4.4 Condition number as a measure of well poisedness | 68 |
| 4.5 Notes and references | 70 |
| 4.6 Exercises | 72 |

| | | |
|-----------|--|------------|
| 5 | Underdetermined interpolating models | 73 |
| 5.1 | The choice of an underdetermined model | 74 |
| 5.2 | Lagrange polynomials and Λ -poisedness for underdetermined interpolation | 76 |
| 5.3 | Minimum Frobenius norm models | 80 |
| 5.4 | Notes and references | 87 |
| 5.5 | Exercises | 87 |
| 6 | Ensuring well poisedness and suitable derivative-free models | 89 |
| 6.1 | Fully linear and fully quadratic models | 90 |
| 6.2 | Ensuring well poisedness using Lagrange polynomials | 93 |
| 6.3 | Ensuring well poisedness using pivotal algorithms | 99 |
| 6.4 | Practical considerations of geometry improvement algorithms | 107 |
| 6.5 | Ensuring well poisedness for regression and minimum Frobenius norm models | 108 |
| 6.6 | Other notes and references | 110 |
| 6.7 | Exercises | 112 |
| II | Frameworks and algorithms | 113 |
| 7 | Directional direct-search methods | 115 |
| 7.1 | The coordinate-search method | 115 |
| 7.2 | A directional direct-search framework | 118 |
| 7.3 | Global convergence in the continuously differentiable case | 120 |
| 7.4 | Global convergence in the nonsmooth case | 124 |
| 7.5 | Simple decrease with integer lattices | 127 |
| 7.6 | The mesh adaptive direct-search method | 132 |
| 7.7 | Imposing sufficient decrease | 134 |
| 7.8 | Other notes and references | 135 |
| 7.9 | Exercises | 139 |
| 8 | Simplicial direct-search methods | 141 |
| 8.1 | The Nelder–Mead simplex method | 141 |
| 8.2 | Properties of the Nelder–Mead simplex method | 148 |
| 8.3 | A globally convergent variant of the Nelder–Mead method | 149 |
| 8.4 | Other notes and references | 161 |
| 8.5 | Exercises | 161 |
| 9 | Line-search methods based on simplex derivatives | 163 |
| 9.1 | A line-search framework | 163 |
| 9.2 | Global convergence for first-order critical points | 165 |
| 9.3 | Analysis for noise | 167 |
| 9.4 | The implicit-filtering algorithm | 168 |
| 9.5 | Other simplex derivatives | 169 |
| 9.6 | Other notes and references | 170 |
| 9.7 | Exercises | 171 |

| | | |
|-----------------|---|------------|
| 10 | Trust-region methods based on derivative-free models | 173 |
| 10.1 | The trust-region framework basics | 173 |
| 10.2 | Conditions on the trust-region models | 179 |
| 10.3 | Derivative-free trust-region methods (first order) | 181 |
| 10.4 | Global convergence for first-order critical points | 185 |
| 10.5 | Derivative-free trust-region methods (second order) | 191 |
| 10.6 | Global convergence for second-order critical points | 194 |
| 10.7 | Model accuracy in larger concentric balls | 200 |
| 10.8 | Trust-region subproblem | 202 |
| 10.9 | Other notes and references | 204 |
| 10.10 | Exercises | 205 |
| 11 | Trust-region interpolation-based methods | 207 |
| 11.1 | Common features and considerations | 207 |
| 11.2 | The “DFO” approach | 208 |
| 11.3 | Powell’s methods | 211 |
| 11.4 | Wedge methods | 215 |
| 11.5 | Other notes and references | 225 |
| III | Review of other topics | 227 |
| 12 | Review of surrogate model management | 229 |
| 12.1 | Surrogate modeling | 229 |
| 12.2 | Rigorous optimization frameworks to handle surrogate models | 235 |
| 12.3 | Exercises | 240 |
| 13 | Review of constrained and other extensions to derivative-free optimization | 241 |
| 13.1 | Directional direct-search methods | 242 |
| 13.2 | Trust-region interpolation-based methods | 248 |
| 13.3 | Derivative-free approaches for global optimization, mixed-integer programming, and other problems | 249 |
| Appendix | Software for derivative-free optimization | 251 |
| | Bibliography | 255 |
| | Index | 271 |