

Index

- accumulation, 185
- additive tasks, 73
- addressing scheme &, 61
- ADIFOR, 34, 83, 120, 152, 185, 220, 224, 256
- adjoint
 - as Lagrange multiplier, 43
 - complexity, 102
 - consistency, 67
 - fixed point iteration, 387
 - gradient complexity, 84
 - higher-order, 322
 - implicit, 372
 - incremental, 40
 - mode, 7
 - nonincremental, 41, 85
 - of adjoint, 91, 95
 - of tangent, 91, 98
 - operation, 65
 - pairs, 66
 - procedure, 42
 - second-order, 100
 - sensitivity equation, 372
 - Taylor exponential, 317
 - variable, 8
- adjugate, 44
- ADOL-C, 47, 49, 110, 270, 308, 317
- advancing, 271
- algorithmic differentiation (AD), 1
- alias-safe, 63
- aliasing, 67
- allocation, 61
- approximants of intermediates, 304
- assignment
 - incremental, 40, 95
 - iterative, 93
 - operator, 112
 - single, 61, 264
- average domain size, 149
- biclique property, 205
- bough, 271
- call tree, 265
- chain rule, 23
- chance constraint, 337
- cheap gradient principle, 88
- checkpointing, 261, 278
 - r*-level, 279
 - binomial, 290
 - multilevel, 279
 - offline, 262, 286
 - online, 262, 294
 - uniform, 279, 290
- chromatic number, 164
- code preparation, 139
- Coleman–Verma partition, 174
- coloring, 164
- compatibility requirements, 74
- complexity, 73–75, 77, 78
 - bounds, 61
- composition, 306
- compressed tensor, 178
- compression
 - column, 163
 - combined, 173
 - Curtis–Powell–Reid (CPR), 171
 - Newsam–Ramsdell (NR), 171
 - row, 163
 - simultaneous, 178
 - two-sided, 176
- computational graph
 - symmetric, 238
- consistency

- adjoint, 69
- derivative, 63
- pattern, 170
- consistent
 - primally, 37
- convergence rate, 378
- copy-on-write, 65
- cotangent, 38
- cross-country, 190
- Curtis–Powell–Reid (CPR)
 - seeding, 164
- deactivation, 383
- deinitializing, 112
- derivative
 - Cartesian, 31
 - consistency, 63
 - directional, 36, 161
 - discontinuous, 335
 - recurrence, 381
 - second, 176
- difference quotient, 161
- differentiable piecewise, 205, 342
- differential
 - algebraic equation, 330
 - ordinary equation, 327
- differentiation
 - backward, 38
 - computational, 1
 - generalized, 345
 - reverse, 38
- divided difference, *see* difference quotient
- dynamic programming, 282
- edge-elimination rule, 196
- elemental
 - differentiability, 23
 - function, 20
 - partials, 21
 - task boundedness, 78
- elimination
 - back-, 197
 - cross-country, 194
 - edge-, 187
 - face-, 204
 - front-, 198
 - Gaussian, 192
 - rule, 198
 - sequence, 215
 - vertex-, 186, 200
- evaluation
 - graph, 16
 - procedure, 15
 - three-part, 18
 - trace, 4
- evolution, 94, 215, 278
- extended
 - Jacobian, 22
 - system, 21
- external memory, 262
- feasible partition, 175
- finite
 - selection, 342
 - slopes, 361
 - termination, 199
- fixed point, 389
- forward, 31, 188
 - compatibility, 62
 - incremental, 200
 - mode, 6, 7
 - motion, 41
 - nonincremental, 200
 - propagation, 151
 - sweep, 41
- function
 - addressing, 93
 - allocation, 61
 - composite, 15, 20
 - elemental, 18, 20
 - Heaviside, 347
 - intermediate, 20
 - kink, 346
 - pole, 348
 - reciprocal, 22
 - rewriting, 257
 - root, 346
 - semi-algebraic, 28
 - step, 347
 - subanalytic, 29
- funnel, 223

- Gaussian elimination, 192
- generic rank, 222
- global contractivity, 378
- gradient, *see* adjoint
 - complexity, 83
 - higher-order, 317
 - principle, 88
 - propagation, 37
 - reduced, 44
- graph
 - bipartite, 195
 - quotient, 219
- Hessian, 145
 - cost ratio, 180
 - graph, 236
 - Lagrangian, 157
 - reduced width, 180
- IEEE arithmetic, 347
- implementation
 - forward, 111
 - reverse, 115
- implicit
 - adjoint, 372
 - tangent, 372
- incremental
 - forward, 200
 - recursion, 40
 - reverse, 200
- independent variable, *see* variable
- index
 - domain, 147
 - range, 148
- initialization function, 21
- instantiation, 15
- interaction binary, 166
- interface contraction, 220
- intermediate, *see* variable
- isolated criticalities, 348
- Jacobian, 145, 188, 247
 - extended, 190
 - generalized, 361
 - global, 222
 - higher-order, 317
 - local, 222
 - regularity, 371
 - transpose, 56
 - vector, 33
- Karush–Kuhn–Tucker, 43, 372
- kink function, 346
- Laurent
 - model, 357
 - number, 351
- Levi–Civita number, 340
- lifespan, 66
- lighthouse example, 337
- limited-memory
 - Broyden–Fletcher–Goldfarb–Shanno (BFGS), 105
- link
 - strong, 270
 - weak, 270
- local
 - Jacobians, 222
 - procedures, 222
- locations, 61
- LU factorization, 90
- Markowitz heuristic, 214
- matrix
 - chaining, 186, 219
 - compression, 158, 163
 - reconstruction, 178
 - seed, 161
 - sparse, 145
 - Vandermonde, 168
 - width, 149
- memory
 - issue, 61
 - location, 61
 - randomly accessed (RAM), 63
 - sequentially accessed (SAM), 48
- mode
 - forward, 6, 7
 - joint, 270
 - reverse, 7, 116, 118
 - selection, 256
 - split, 270

- vector, 36, 48
- motion, 268
 - advancing, 268
 - cross-country, 268
 - recording, 268
 - returning, 268
 - reversing, 269
- multistep contractivity, 384, 387
- Newsam–Ramsdell (NR)
 - principle, 163
 - seeding, 168
- Newton
 - method, 367
 - scenario, 375
 - step, 241, 376
- nonincremental
 - adjoint, 85
 - evaluation, 41
 - form, 97
 - forward, 200
 - recursion, 40
 - reverse, 200
- nonlinear
 - height, 255
 - width, 255
- normals, 38
- Odyssée, 120, 264
- overloading
 - operator, 110
- overwrite, 4, 62, 66
- pairs
 - compatible, 267
- parallel
 - chain, 295
- partial separability, 252
- partials
 - elemental, 33
 - mixed, 301
- partition Coleman–Verma, 174
- path connectedness, 148
- pathlength, 195, 219
- pathvalue, 195, 219
- piecewise differentiability, 342
- piggyback approach, 376, 393
- polynomial core, 22
- preaccumulation, 185, 220
- preconditioning, 55, 389
- preelimination, 213
- preferred direction, 335
- prevalue, 64, 70
- primary constant, 49
- problem preparation, 255
- program
 - branch, 347
 - overloading, 108
 - variable, 4
- quotient
 - convergence factor, 379
 - graph, 275
- range size, 150
- rank-one example, 245
- recalculation, 262
- reciprocal, 22
- recomputation, 71
- recording, 271, 274
 - sweep, 42
- recursion
 - incremental, 40
 - nonincremental, 40
- reduced width, 180
- reflexive, 97
- regular
 - arc, 360
 - determinacy, 360
- related task, 74
- return
 - motion, 262
 - sweep, 41, 262
- returning, 271, 274
- reversal, 262, 272
 - chain, 279
 - joint, 266, 270
 - schedule, 261, 262, 264–272, 274–282, 284–289, 295–297
 - chain, 287
 - offline, 280, 282, 286, 287
 - parallel, 295

- schedules, 280
- split, 266, 270
- uninterrupted, 296
- reverse, 31, 188
 - compatibility, 62
 - differentiation, 38
 - implementation, 115
 - incremental, 200
 - mode, 7, 9
 - motion, 41
 - nonincremental, 200
 - propagation, 153
 - sparse, 155
 - statement-level, 222
 - sweep, 41
- root function, 346
- runtime functional, 75
- scarcity, 225
- schedule
 - optimal, 286
 - offline, 286
 - reversal, 274, 287, 295
- second derivatives, 154, 155
- seed
 - directions, 31
 - matrix, 161
- seeding
 - Curtis–Powell–Reid (CPR), 164
- separability
 - argument, 150, 253
 - partial, 155, 248
 - value, 252
- simplified recurrence, 383
- source transformation, 120
- sparsity, 161
 - compression, 161
 - dynamic, 146
 - internal, 155
 - pattern, 165
 - pseudostatic, 146
 - static, 146
- splitting
 - column, 253
 - row, 252
- stable domain, 348
- state
 - transformation, 18
- step function, 347
- stochastic optimization, 337
- storage location, *see* allocation
- strip-mine, 146
- subadditive tasks, 73
- sweep, *see also* motion
 - return, 118
- symmetric
 - computational graph, 238
- TAF, 96, 264, 270, 276
- TAMC, 270
- tangent
 - complexity, 80
 - evaluation procedure, 33
 - function, 34
 - implicit, 372
 - mapping, 96
 - of adjoint, 98
 - operation, 34
 - procedure, 33, 35
 - propagation, 32
 - recursion, 33
- tape, 64, 262
- Tapenade, 34, 96, 276
- task
 - additive, 73
 - boundedness, 78
 - computational, 73
 - homogeneous, 74
- Taylor
 - arithmetic, 309
 - complex approximation of, 310
 - calculus, 319
 - coefficient, 302, 313
 - coefficient functions, 304
 - polynomial propagation, 303
- temporal complexity, 73, 264
- tensor
 - coefficient, 302, 313
 - evaluation, 311
- time evolution, 264
- total recalculation, 276
- trace, 115

- transformation
 - state, 18
- tree reversal, 274
- triangular nonlinear system, 22
- trumpet, 225
- two-phase approach, 393
- two-way compatibility, 62, 97

- value
 - active, 110
 - passive, 110
 - taping, 67
- Vandermonde matrix, 168
- variable
 - active, 109
 - dependent, 6
 - independent, 6, 113
 - intermediate, 20
 - mathematical, 5, 61
 - passive, 109
 - program, 61
 - to-be-recorded, 109
- vector
 - argument, 19, 61
 - derivative
 - higher-order, 300
 - valued function, 26

- weak depth, 275
- weight functional, 31