

Index

- Abel–Weierstrass lemma, 413
- absolute condition number, 302
- addition
 - closure of, 5, 576
- adjoint, 121
- adjugate, 73, 76
- algebraic multiplicity, 143
- almost everywhere, 329, 332
 - convergence, 333
 - equal, 332
 - nonnegative, 340
- analytic function, 411, 414, 434
- angle preserving, 131
- arclength, 383
 - function, 384
 - parametrized by, 384
- argument principle, 445
- arithmetic-geometric mean inequality, 118
- Arnoldi
 - basis, 531
 - method, 547
- asymptotic behavior, 561
- automorphism
 - of a ring, 595
 - of a vector space, 38
- axiom of choice, 647

- Bézier curve, 54
- back substitution, 61
- Banach space, 211
- Banach-valued regulated integral
 - multivariable, 324
 - single-variable, 230
- barycentric
 - Lagrange interpolation, 610
 - weight, 610

- basic
 - columns, 65
 - variables, 63
- basis, 13
 - standard, 13, 51
- Bauer–Fike theorem, 560
- Beppo Levi theorem, 337
- Bernstein
 - operator, 82
 - polynomials, 54
- Bessel’s inequality, 97
- bijection, 38
- bijective, 38, 637
- bilinear, 89, 667
- block matrix
 - inverse, 666
 - multiplication, 665
- Bochner integral, 320
- Boolean ring, 575, 595
- boundary of a set, 192
- bounded
 - above, 645
 - functions, 113
 - linear transformation, 114, 186, 200, 235
 - linear transformation theorem, 213, 216
 - set, 197
- Brouwer fixed-point theorem, 225, 277

- calculus
 - fundamental theorem of, 403
- cancellation, 588
- canonical epimorphism, 41, 600
- Cantor
 - diagonal argument, 650
 - ternary set, 332
- cardinality, 648
- Cartesian product, 14, 19, 596, 630

- Cauchy
 - differentiation formula, 427
 - integral formula, 413, 424
 - sequence, 195, 196, 263
- Cauchy–Goursat theorem, 419, 421
- Cauchy–Riemann
 - equation, 410
 - equations, polar form, 451
 - theorem, 410
- Cauchy–Riemann equation, 410
- Cauchy–Schwarz inequality, 91
- Cayley–Hamilton theorem, 479
- chain, 20, 647
- chain rule
 - for holomorphic functions, 412
 - Fréchet derivative, 259
- change of basis, 53
- change of variables, 263, 351
- characteristic polynomial, 143
- Chinese remainder
 - problem, 602
 - theorem, 80, 601, 604
- classical adjoint, 76
- closed
 - n -interval, 321
 - ball, 191
 - set, 190
- closure
 - of a set, 192
 - of operations, 5, 576
- codomain, 635
- cofactor, 73
 - expansion, 65, 75
- column space, 126
- commutative
 - ring, 575
- commutative diagram, 638
- compact, 179, 203
 - support, 122
- complementary
 - subspace, 16
- complete, 198
- completion, 361
- complex
 - conjugate, 654
 - numbers, 653
- composition, 36, 636
 - of continuous functions, 187
- computer aided design, 58
- condition, 302
- condition number
 - of a matrix, 305
 - absolute, of a function, 302
 - eigenvalue problem, 307
 - of a matrix, 307
 - relative, of a function, 303
- congruent
 - modulo n , 631
 - modulo an ideal, 598
- connected, 179, 224
 - component, 396
- conservative vector field, 388
- continuity
 - uniform, 199
- continuous
 - at a point, 185
 - function, 185, 188
 - linear extension theorem, 213, 216
 - Lipschitz, 186, 200, 235, 254, 278
 - pointwise, 187
 - uniformly, 199
- continuously differentiable, 266
- contour, 416
 - integral, 416, 417
 - simple closed, 419
- contraction
 - mapping, 278
 - mapping principle, 279
 - mapping principle, uniform, 282
 - mapping, uniform, 282
- convergence
 - absolute, 212
 - almost everywhere, 333
 - linear, 286
 - of sums, 212
 - pointwise, 210
 - quadratic, 286
 - uniform, 210, 413
 - uniform on compact subsets, 263
- convex, 261
- coordinate
 - change of, 299
- coordinates
 - change of, 48, 351
 - hyperbolic, 360
 - hyperspherical, 356

- in a basis, 47
 - polar, 352
 - spherical, 354
- coset, 23, 598
 - operations, 24, 599
- countable, 648
- cover
 - open, 203
- Cramer's rule, 77, 217
- cross product, 667
- CRT, *see* Chinese remainder theorem
- curl, 402
- curve
 - differentiable, 242
 - fitting, 129
 - piecewise-smooth, 382
 - positively oriented, 398
 - simple closed, 381
 - smooth, 382
 - smooth parametrized, 381
 - smooth, oriented, 382
 - smooth, unoriented, 382
- cutoff phenomenon, 564

- Daniell integral, 320, 328
- data compression, 168
- De Morgan's Laws, 630
- decay matrix, 564
- decomposition
 - LU, 62
 - polar, 165
 - QR, 103
 - singular value, 162
 - Wedderburn, 500
- dense, 190
- derivative, 242
 - directional, 244
 - higher, 266
 - linearity, 256
 - of a complex function, 408
 - of a parametrized curve, 242
 - second, 266
- determinant, 65
- De Moivre's formula, 655
- diagonal matrix, 162
- diagonalizable, 151
 - orthonormally, 157
- diffeomorphism, 349

- differentiable
 - complex function, 408
 - continuously, 253
 - function, 241, 246, 252
- dimension, 18
 - formula, 46
- direct sum, 14, 16
- Dirichlet function, 332
- divides, 585
- division property, 583
- domain
 - Euclidean, 583
 - of a function, 635
- dominated convergence theorem, 342
- dot product, 89
- Drazin inverse, 500, 501
- dual space, 248

- Eckart–Young, Schmidt, Mirsky
 - theorem, 167
- EEA, *see* extended Euclidean algorithm, 587
- eigenbasis, 151
- eigennilpotent, 483
- eigenprojection, 463, 475
- eigenspace, 140
 - generalized, 465, 468, 486
- eigenvalue, 140
 - semisimple, 492
 - simple, 307, 496
- eigenvector
 - generalized, 468
- elementary
 - matrix, 59
 - product, 68
- empty set, 627
- equivalence
 - modulo a subspace, 22
 - class, 22, 598, 632
 - modulo n , 21, 631, 633
 - modulo an ideal, 598
 - relation, 598, 631
- Euclidean
 - algorithm, 586
 - domain, 573, 583
 - extended algorithm, 587
- Euler's formula, 411, 415, 655
- extension by zero, 325

- extension theorem, 18, 29
- exterior of a simple closed curve, 397
- extreme value theorem, 205
- Fatou's lemma, 340
- field, 659
- finite intersection property, 206
- first isomorphism theorem
 - for rings, 600
 - for vector spaces, 42
- fixed point, 278
- formula
 - Euler, 411
- formal power series, 576
- Fourier transform, discrete, 622
- Fréchet derivative, 246, 252
 - chain rule, 259
 - higher-order, 266
 - product rule, 257
 - real finite-dimensional case, 246
- Fredholm
 - alternative, 136
 - integral transform, 281
- free variables, 63
- Frobenius
 - inner product, 90, 136
- Fubini's theorem, 320, 344
 - for step functions, 372
- function, 635
 - analytic, 411, 413
 - entire, 408
 - holomorphic, 408
 - integrable (Daniell–Lebesgue), 330
 - regulated integrable, 324, 375
 - Riemann integrable, 320, 325, 340
 - smooth, 266
- fundamental
 - subspaces theorem, 124
 - theorem of algebra, 430, 591
 - theorem of arithmetic, 590
 - theorem of calculus, 262
 - theorem of calculus for line
 - integrals, 388
- fundamental theorem
 - of calculus, 403
- Gamma function, 359
- Garner's formula, 606
- Gauss' mean value theorem, 426
- Gauss–Seidel
 - convergence, 524
 - method, 522
- gcd, 586
- generalized
 - eigenspace, 465, 468, 486
 - Heine–Borel theorem, 208
 - inverse, *see* pseudoinverse
 - Leibniz integral rule, 348
 - minimal residual method (GMRES), 530
 - step function, 379
- geometric multiplicity, 141
- Givens rotation, 545
- GMRES, 530, 533
- Google, 498
- Gram–Schmidt, 99
 - modified, 101
- graph, 635
- greatest
 - common divisor, 586
 - element, 646
 - lower bound, 645
- Green's theorem, 381, 399
- Hölder's inequality, 118
- Heine–Borel theorem
 - generalized, 208
 - on \mathbb{R}^n , 204
- Hermitian conjugate, 84, 664
- Hessian matrix, 266
- Hilbert's identity, 471
- Hilbert–Schmidt
 - inner product, 90
- holomorphic
 - function, 408, 434
 - open mapping theorem, 445, 450
- homeomorphism, 222
- Householder, 105
- Householder transformation, 105, 106
- hyperbolic coordinates, 360
- hyperplane, 321
- hyperspherical coordinates, 356
- ideal, 578
 - generating set, 581
- identity map, 39

- ill conditioned, 303
- image, 594, 635
- implicit function theorem, 294
- index of a matrix, 466
- index set, 639
- indicator function, 228, 323
- induced
 - metric, 208
 - norm on linear transformations, 114
 - norm, from an inner product, 111
- induction, 644
- infimum, 645
- inherited metric, 208
- injective, 637
- inner product, 88
 - Frobenius, 90, 136
 - Hilbert–Schmidt, 90
 - positivity of, 91
 - space, 89
 - standard, 89
- integers, 628
- integrable
 - function, Daniell–Lebesgue, 330
 - function, regulated, 324
 - function, Riemann, 320, 325, 340
 - function, regulated, 375
 - on an unbounded domain, 337
- integral
 - Bochner, 320
 - contour, 417
 - Daniell, 320, 328
 - iterated, 345
 - Lebesgue, 320, 328
 - mean value theorem, 262
- interior
 - of a set, 182
 - of a simple closed curve, 397
- interior point, 182
- intermediate value theorem, 225
- intersection of sets, 630
- invariant subspace, 147, 462, 468
- inverse function theorem, 298
- invertible, 38
 - element, 578
 - left, 642
 - right, 642
- involution, 172
- irreducible
 - element, of a ring, 588
 - matrix, 497
- isolated point, 189
- isometric embedding, 362
- isometry, 116
- isomorphic rings, 596
- isomorphism
 - of rings, 595, 596
 - of vector spaces, 36, 38
- iterated integral, 345
- iterative
 - numerical methods, 519
 - solvers, 521
- iterative methods, 520
- Jacobi method, 522
 - convergence, 524
- Jacobian
 - determinant, 297
 - matrix, 249
- Jordan
 - canonical form, 140, 506
 - curve theorem, 396
- Jordan normal form, 480
- Kantorovich, 315
- kernel, 35, 594
- Kreiss constant, 562
- Kreiss matrix theorem, 563
- Kronecker delta, 95
- Krylov
 - basis, 527
 - methods, 526
 - solution, 529
 - subspace, 506, 527
- Lagrange
 - basis, 603
 - decomposition, 602
 - interpolant, 603
 - interpolant, barycentric form, 610
 - interpolation, 610
 - interpolation, barycentric, 610
- Lagrange–Hermite interpolation, 616, 617
- Lanczos method, 548
- Laplace equation, 145

- Laurent
 - expansion, 436
 - polynomial, 576
 - series, 433, 436
 - series, principal part, 438
- law of cosines, 92
- leading entry, 61
- least
 - element, 647
 - upper bound, 645
 - upper bound property, 646
- least squares, 127
- Lebesgue
 - integrable, 367
 - integral, 320, 328
 - number, 206
- left
 - eigenvector, 154
 - invertible, 642
 - pointing normal vector, 398
- Legendre polynomial, 101, 453
- Leibniz integral rule
 - generalized, 348
- Leibniz's integral rule, 346
- Leontief, Wassily, 520
- level set, 191, 293, 635
- limit
 - inferior, 340
 - of a function, 188
 - of a sequence, 193
 - point, 189
 - pointwise, 210
 - superior, 340
- line fitting, 129
- line integral, 386
 - of scalar field, 386
 - of vector field, 387
- linear
 - approximation, 242
 - combination, 10
 - convergence, 286
 - dependence, 12
 - extension, 230
 - functional, 121
 - homogeneous system, 40
 - independence, 12
 - operator, 33
 - ordering, 644
 - system, 32, 58, 105, 519, 520, 527, 530
 - homogeneous, 35, 40
 - overdetermined, 127
 - transformation, 31–33
 - bounded, 114
 - composition of, 51
 - matrix representation, 49
- Liouville's theorem, 430
- Lipschitz
 - continuous, 186, 200, 235, 254, 278
 - locally at a point, 254
- lower bound, 645
- l.u.b. property, *see* least upper bound property
- LU decomposition, 62
- manifold, 381
- map, 635
- Markov chain, 564
- matrix, 663
 - ∞ -norm, 116
 - 1-norm, 116
 - augmented, 60
 - block, 665
 - decay, 564
 - diagonalizable, 151
 - diagonally dominant, 524
 - Hermitian conjugate, 664
 - index of, 466
 - invertible, 665
 - irreducible, 497
 - minor, 73
 - nilpotent, 171
 - nonnegative, 494
 - nonsingular, 52, 665
 - normal, 158
 - orthogonal, 98
 - orthonormal, 98, 132
 - positive, 494
 - primitive, 497
 - product, 663
 - row equivalent, 61
 - semisimple, 151
 - similar, 53
 - simple, 151
 - sparse, 519

- transition, 53
- transpose, 664
- tridiagonal, 145
- unitary, *see* matrix, orthonormal
- maximal element, 646
- maximum modulus principle, 431
- mean value theorem, 260
 - Gauss's, 426
 - integral, 262
- measurable
 - function, 333
 - set, 331, 333
- measure, 323
 - zero, 331
 - zero, alternative definition, 364
- meromorphic, 439
- method of successive approximations, 280
- metric, 179, 180
 - Cartesian product, 181
 - discrete, 181
 - Euclidean, 180
 - French railway, 233
 - induced, 208
 - inherited, 208
 - normalized, 181
 - space, 180
- minimal polynomial, 526
- minimum modulus principle, 453
- Minkowski's inequality, 119
- Mirsky, Schmidt, Eckart–Young theorem, 167
- modulus
 - componentwise, of a matrix, 513
 - of a complex number, 654
- monic polynomial, 143, 586
- monotone
 - convergence theorem, 336
 - decreasing, 336
 - increasing, 201, 336
- Moore–Penrose pseudoinverse, 126, 166
- multiplication
 - closure of, 576
- multiplicity
 - of a zero, 435, 446
 - of an eigenvalue
 - algebraic, 143, 156, 469
 - geometric, 141, 156, 467
- natural numbers, 628
- neighborhood, 182
- Neumann series, 215
- Newton
 - decomposition, 604
 - interpolation, 611
- Newton's method
 - scalar version, 287
 - vector version, 291
- Newton–Kantorovich theorem, 292, 315
- noise canceling, 10
- nonsingular matrix, 665
- norm, 111
 - L^p -, 113
 - p -, 112
 - Euclidean, 111
 - Frobenius, 113, 168
 - induced
 - from an inner product, 111
 - on linear transformations, 114
 - Manhattan, 111
 - matrix, 115
 - operator, 114
 - sup, 113
 - taxicab, 111
- normal
 - distribution, 359
 - equation, 128
 - matrix, 158
- normed linear space, 111
- null space, 35
- nullity, 43
- numerical
 - linear algebra, 62
- oblique projection, 460
- one-to-one, 637
- onto, 637
- open
 - ball, 182
 - cover, 203
 - set, 182
- order
 - of a nilpotent operator, 485
 - of a pole of a function, 439
 - of a zero of a function, 435
- orderings, 643

- orthogonal, 91
 - complement, 105, 123
 - projection, 93, 96
- orthonormal, 87
 - matrix, 98, 132
 - set, 95
 - transformation, 97
- orthonormally
 - diagonalizable, 157, 158
 - similar, 155
- outer product expansion,
 - 164, 174
- overdetermined, 127

- PageRank algorithm, 498
- parallelogram identity, 131
- parametrized
 - contour, 416
 - curve
 - equivalent, 382
 - smooth, 381
 - manifold, 389
 - equivalent, 389
 - measure of, 394
 - oriented, 389
 - tangent space, 390
 - unoriented, 390
 - surface, 389
- parametrized manifold, 381
- partial
 - derivative, 245
 - k th-order, 266
 - in a Banach space, 255
 - ordering, 646
 - sums, 212
- partially ordered set, 646
- partition, 22, 598, 633
- path, 416
 - connected, 226
 - independent, 420
- periodic function, 236
- permutation, 66
 - even, 67
 - inversion, 67
 - odd, 67
 - sign, 67
 - transposition, 67

- Perron
 - root, 496
 - theorem, 496
- Perron–Frobenius
 - eigenvalue, 496
 - theorem, 497
- piecewise smooth, 382, 416
- pigeonhole principle, 652
- polar decomposition, 165
- polarization identity, 131
- pole of a function, 439
- polygonal path, 421
- polynomial
 - monic, 143, 586
 - ring, 575
- poset, *see* partially ordered set
- positive
 - definite, 159
 - semidefinite, 159
- potential function, 388
- power
 - method, 492
 - set, 628
- preimage, 186, 635
- preimage of a function, 187
- prime, 588
- primitive
 - matrix, 497
- primitive root of unity, 657
- principal ideal domain
 - Euclidean domain is a, 585
- projection, 136, 460, 639
 - canonical, 597
 - complementary, 460
 - map, 33
 - spectral, 475
- pseudoeigenvalue, 554
- pseudoeigenvector, 555
- pseudoinverse
 - Drazin, 500, 501
 - Moore–Penrose, 166
- pseudospectral
 - radius, 561
- pseudospectrum, 554
- Pythagorean
 - law, 92
 - theorem, 97

QR

- decomposition, 102, 103
- decomposition, reduced, 103
- iteration, 538

quadratic convergence, 286

quasi-Newton method, 290

quotient

- of a ring by an ideal, 598
- of a vector space by a subspace, 23

R -linear combination, 581

radius

- pseudospectral, 561

radius of convergence, 414

range, 35

rank, 43

rank-nullity theorem, 43

Rayleigh quotient, 174

reduced row echelon form, 61

REF, *see* row echelon form

reflection, 172

regulated

- integrable functions, 324
- integral
 - multivariable, Banach valued, 324
 - single variable, Banach valued, 228

relation, 631

relative condition number, 303

relatively prime, 586

reparametrization, 382

replacement theorem, 17

residual vector, 93

residue

- of a function, 440
- theorem, 442

resolvent, 470

- of an operator, 470
- set, 141, 470

reverse Fatou lemma, 358

Riemann integral, 325

Riemann's theorem, 426

Riesz representation theorem, 120

right

- eigenvector, 154
- invertible, 642

ring, 574

- commutative, 575, 576
- homomorphism, 592
- of polynomials in a matrix, 576

Ritz eigenvalues, 547

root

- of unity, 657
- simple, 304

rotation map, 34

Rouché's theorem, 448

row

- echelon form, 61
- echelon form, reduced, 61
- operations, 58
- reduction, 58

RREF, *see* row echelon form, reduced

Russell's paradox, 629

scalar, 4

Schmidt, Mirsky, Eckart–Young theorem, 167, 168

Schur

- complements, 666
- form, 140, 156
- lemma, 155

second

- barycentric form, 611
- derivative, 266
- isomorphism theorem, 45

segment, 648

self-adjoint, 155

seminorm, 111, 361

semisimple

- eigenvalue, 492
- matrix, 151
- spectral mapping theorem, 153

separated

- spectrally, 540

sequence, 193

- Cauchy, 195, 263
- convergent, 193
- uniformly convergent, 210

sequentially compact, 206

series, 212

sesquilinear, 89

set, 627

- complement, 630
- difference, 630

- intersection, 630
 - of measure zero, 331
 - partition, 633
 - union, 629
- Sherman–Morrison–Woodbury lemma, 666
- shifting
 - QR iteration, 550
- sign of a complex number, 656
- similar matrix, 53
- simple
 - closed curve, 381
 - eigenvalue, 307, 496
 - matrix, 151
 - pole, 439
 - region, 398
 - root, 304
- simply connected, 397
- singular
 - matrix, 52
 - value decomposition, 162
 - compact form, 164
 - values, 162
- singularity
 - essential, 439
 - isolated, 438
 - removable, 439
- skew-Hermitian, 171
- small gain theorem, 171
- smooth, 266
- SOR, *see* successive overrelaxation
- span, 10
- spectral
 - condition number, 560
 - decomposition theorem, 487
 - mapping theorem, 489
 - radius, 474, 478
 - resolution formula, 478
 - theorem
 - Hermitian matrices, 157
 - normal matrices, 158
- spectrally separated, 540
- spectrum, 141, 470
- spherical coordinates, 354
- Spijker’s lemma, 566
- Stein map, 34
- step function, 228, 323
 - generalized, 379
 - integral of, 229, 324
- Stokes’ theorem, 402
- subcover
 - finite, 203
- subdivision
 - generalized, 321
 - of intervals, 321
 - one-dimensional, 228
- submatrix, 73
- submultiplicative property, 115
- subsequence, 197
- subset, 628
 - proper, 628
- subspace, 7
 - complementary, 14, 16
 - invariant, 147
 - proper, 9
 - trivial, 9
- substitution formula, 349
- successive approximation, 280
- successive overrelaxation
 - convergence, 525
- superposition, 9
- support, 635
- supremum, 645
- surface
 - parametrized, 389
- surjective, 637
- SVD, *see* singular value decomposition
- Sylvester map, 34
- symmetric group, 66
- tangent
 - to a curve, 382
 - unit, 382
- tangent vector, 243
- Taylor
 - formula, 268, 269
 - remainder, 271
 - series for holomorphic functions, 433
- topological
 - properties, 179, 222, 223
 - spaces, 186

- topologically equivalent, 219, 220
 - norms, 134, 221
- topology, 179, 186
 - induced, 219
- total
 - derivative, 246
 - ordering, 643
- totally bounded, 206, 208
- transient behavior, 561
- transition matrix, 48, 53
- transpose, 664
- transposition matrix, 59
- tridiagonal matrix, 145

- unbounded linear transformation, 235
- uncountable, 648
- uniform
 - continuity, 195, 199
 - contraction mapping, 282
 - contraction mapping principle, 282
 - convergence, 210, 413
 - convergence on compact subsets, 263
 - properties, 223
- union of sets, 629
- unit, 578
 - normal, 391, 392
 - tangent, 382
 - vector, 91
- unitarily similar, 155
- unitary matrix, *see* orthonormal matrix
- unity
 - ring, 577

- universal property of the product, 639
- upper bound, 645

- valuation, 583
- variables
 - change of, 351
- vector, 4
 - field, 387
 - conservative, 388
 - length of, 91
 - space, 4
 - unit, 91
- vectors
 - angle between, 92
- volume, 331, 351
 - n -dimensional, 323
 - of n -ball, 360
 - of a parallelepiped, 394

- Wedderburn decomposition, 500
- well conditioned, 303
- well-defined functions, 640
- well-ordering axiom, 644
- well-ordering principle, 647
- winding number, 441
- WOA, *see* well-ordering axiom
- Wronskian, 85

- Young's inequality, 118

- zero
 - and pole counting formula, 446
 - divisors, 583
 - of order n , 435
- Zorn's lemma, 20, 647