

Index

- ****, 41
- +**, 41, 56, 69, 158, 366
 - ..**, 44
 - ;**, 39
 - =**, 41
 - ==**, 17, 42
 - ?**, 11, 41
 - #**, 39
 - _**, 12
 - **, 40, 166
 - ~**, 158
- AA**, 101, 138, 273
- abs**, 9, 94, 103
- absolute value, 9
- acceleration of convergence, 274
- __add__**, 94
- add**, 61
- add_constraint**, 389
- add_edge**, 361
- add_edges**, 361, 384
- add_vertex**, 361
- adjacency matrix, 155, 362
- adjacency table, 362
- algebraic geometry, 199
- algebraic number, 38, 106, 109, 130, 135, 138, 142, 183
- algebraic structure, 97–99
- algebraic variety, 185
- AlgebraicField**, 101
- AlgebraicRealField**, 101
- algorithm
 - Dijkstra's, 372
 - Edmonds', 373
 - fast multiplication, 151
 - Ford-Fulkerson, 373
 - QR, 291
- aliasing*, 67
- aliquot sequence, 122
- all**, 61, 343, 442
- AlternatingSignMatrices**, 340
- and**, 104
- animate**, 74
- animation, 74
- antiderivative, 30
- any**, 61, 343
- append**, 64, 65, 272
- Arb**, 247
- arithmetic
 - basic, 7
 - elementary, 102–103
 - interval, *see* interval arithmetic
 - modular, 113–115
 - of polynomials, 132, 181
- arithmetic operations, 7, 17, 95
 - finite fields, 115
 - matrices, 158
 - modulo n , 114
 - polynomials, 128, 180
- arithmetic-harmonic mean, 47, 51
- Arrangements**, 328
- assert**, 40, 262
- assignment, 41, 47, 67
- assume**, 21, 223
- attrcall**, 345
- augment**, 154
- automatic completion, 11, 96
- automatic_names**, 14
- automorphism_group**, 375
- Axiom**, 97, 126
- backslash, 40
- bar chart, 77, 89
- bar graph, 77, 89
- bar_chart**, 77, 89
- base_extend**, 154, 158
- base_ring**, 114, 126, 154, 273
- basic type, 101
- basis**, 154
- basis (vector space), 36, 154

- basis_is_groebner, 205
- berlekamp_massey, 144, 422
- Bézout relation, 133
- BinaryTree, 347
- binomial, 9, 334
- binomial coefficient, 9
- bisection, 264
- BLAS, 296
- block matrix, 156
- block_diagonal_matrix, 156
- block_matrix, 154, 156
- bool, 17, 101
- boolean, 11, 103
- breadth_first_search, 372
- break, 45
- bug, xiii
- C++, 5
- canonical form, *see* normal form, 113
- canonicalize_radical, 20, 21
- cardinality, 340, 440
- Cartesian product, 62, 98
- cartesian_product, 257, 347
- Cassini surface, 90
- catalan, 11
- Catalan constant, 11
- catastrophic cancellation, 238
- categories, 131
- category, 99, 131
- category, 99
- Cauchy interpolation, 145
- CBF, 251
- CC, 101, 256, 273
- CDF, 243, 253, 256, 273
- center, 372
- change of variables, 219
- change_ring, 129, 154, 158, 206
- character string, 56
- characteristic, 114
- characteristic polynomial, 37, 160, 168, 171
- characteristic value, 168
- characteristic_polynomial, 37, 160
- charpoly, 135, 160, 170
- Chinese Remainder Theorem, *see* theorem
- chromatic number, 364, 365
- chromatic_number, 364, 374
- CIF, 138, 251, 256, 273
- circle, 87, 89
- class, 93, 97
- class, 40
- clique, 374
- clique_maximum, 374
- Cliquer (program), 374
- closed-form expression, 184
- CoCalc, 4, 5
- CoCoA, 199
- coefficient
 - matrix, 156
 - polynomial, 129, 179
- coefficients, 129, 179
- coercion, 95
- collect, 19, 20, 128
- collections, 272
- color, 73, 368
- coloring, 368, 374, 379
- column_space, 37, 408
- combine, 19
- combstruct, 332
- command history, 12
- command line, 5
- command prompt, 7
- comment, 39
- companion matrix, 174
- comparison, 42
 - of two expressions, 17
- complement, 371
- CompleteBipartiteGraph, 364
- CompleteGraph, 364
- complex floating-point number, 103
- complex_plot, 77, 89
- ComplexBallField, 251
- ComplexDoubleField, 256
- ComplexField, 101, 243, 253, 256
- ComplexIntervalField, 251, 256
- comprehension, 60, 341
- computation of π , 31, 32, 34
- computational domain, 99–110
- computer algebra, 3
 - and numerical computation, 10, 261
 - system, 108
- concatenation, 66

- conchoid, 76
- condition number, 277–280, 285, 286, 299
- conditional, 49
- conditional instruction, 49
- conjugate, 130, 158
- conjugate gradient, 299
- connected component, 373
- connected_components, 373
- connectivity, 373, 374, 376, 379
- constants, 244
- constants (predefined), 11
- content, 132
- continue, 45
- contrib_ode, 214
- conventions, 7
- convergence, 32, 48, 240, 241, 263, 274
 - acceleration of, 274
- conversion, 95, 98, 102, 130, 236
- copy, 67, 158, 291, 372
- cos, 21
- count, 64
- cover_ring, 135
- Cox, David A., 177
- Cramer’s formula, 281
- cross product, 35
- cross_product, 35, 406
- crt, 118, 132
- cryptology, 115, 189
- csv (*comma-separated values*), 78
- cut (graph), 375, 379
- Cyclic, 188
- cyclic vector, 169

- data sharing, 67
- decimal number, 102
- decimal point, 8
- decomposableObjects, 332
- decomposition
 - partial fraction, 141
 - square-free, 136
- decomposition, 172
- decorator, 53
- deepcopy, 68
- def, 40, 51
- degree, 129, 179
- del, 41, 65, 70

- delayed reduction, 115
- delete_edge, 362
- delete_vertex, 362
- denominator, 141, 333
- depth_first_search, 372
- deque, 272
- derivative
 - of a polynomial, 129, 179
 - of an expression, 30, 32, 63
 - partial, 33, 179, 214
- derivative, 32, 129, 179, 261
- Descartes’ rule, 262
- desolve, 24, 214, 227
- desolve_laplace, 224, 227
- desolve_rk4, 82, 89
- desolve_system, 225
- det, 165
- determinant, 160, 165, 168
- diagonalization, 37, 160
- diameter, 372
- diameter of a graph, 372
- Dickson lemma, 205
- dict, 70, 129
- dictionary, 179
- diff, 30, 32, 129, 227, 403
- differential equation, 80, 147, 213–226, 303, 316
 - Bernoulli, 215
 - Clairaut, 216
 - constant coefficient, 221
 - exact, 216
 - homogeneous, 215, 219, 220
 - Lagrange, 216
 - linear first-order, 215, 216
 - parametric, 221
 - plot, 218
 - Riccati, 216
 - separable, 215, 217, 219
 - systems, 224
- diffusion list, 4
- DiGraph, 370, 371
- dimension
 - of a variety, 208
 - of an ideal, 182, 190, 196, 208
- dimension, 183, 190, 191
- discrete logarithm, 121–122

- discriminant, 137
- discriminant of a polynomial, 25, 139
- disjoint_union, 366, 367
- display
 - graphs, 367
- distance (in a graph), 372
- divides, 132, 182
- division, 8
 - by increasing powers, 133
 - integers, 9
 - of polynomials, 132, 134, 181, 202, 207
- divmod, 9
- documentation, 4
- domain
 - computation domain, 22
- dominating set, 374, 393
- dominating_set, 374
- Dormand-Prince method, 317
- dot_product, 35
- double exponential method, 307
- double-precision, 235, 243, 276
- drawing, 79
- e, 11
- eccentricity, 372
- eccentricity, 372
- echelon form, 37, 161
- echelon_form, 37, 160, 163, 164, 407
- echelonize, 160, 163
- edge (graph), 361
- edge_coloring, 374
- edge_connectivity, 373
- edge_cut, 373
- edge_disjoint_paths, 373
- Edmonds, Jack, 392
- eigenmatrix_left, 160, 174
- eigenmatrix_right, 160, 174
- eigenspace, 160, 168
- eigenspaces_left, 160, 173
- eigenspaces_right, 160, 173
- eigenvalue, 37, 160, 168, 172, 225
- eigenvalues, 37, 173
- eigenvector, 37, 160, 172
- eigenvectors_left, 160
- eigenvectors_right, 37, 160
- elementary function, 21
- elementary_divisors, 160, 165
- elementwise_product, 158
- elif, 50
- elimination
 - algebraic, 182, 190, 194, 209
- elimination_ideal, 191
- else, 49
- endomorphism reduction, 37
- envelope of a family of curves, 86, 193
- equality
 - left/right-hand side, 24
- equation, 10, 23–26
 - differential, *see* differential equation
 - linear, 23, 24
 - numerical solution, 25, 255–276
 - of a curve, 76, 77, 193
 - of a surface, 90
 - partial differential, *see* partial differential equation
 - polynomial, 137
 - solving, 24
 - system of equations, 24
- Euler's method, 316
- euler_gamma, 11
- exec, 40
- exists, 343
- exp, 21
- expand, 18, 20
- expand_sum, 21
- expand_trig, 21
- exponent of a float, 233–235
- exponentiation
 - binary, 134
 - modular, 115, 120
- exporting a figure, 369
- Expression, 258
- expression tree, 17
- extend, 64
- extension, 38
- factor, 9, 20, 94, 95, 101, 136, 137, 182
- factor_list, 20
- factorial, 9
 - programming, 52
- factorial, 9, 21, 102
- factorization

- integer, 94, 121, 135
- polynomial, 108, 118, 130, 135
- False, 11, 103
- fast multiplication, 151
- Fermat test, 118
- Fermat, Pierre de, 9
- Fibonacci sequence, 52–56
- FieldIdeal, 188
- Fields, 99
- figure export, 74
- filter, 60, 65, 67, 69
- finance, 78
- find_root, 24, 25, 275
- finite field, 101, 104, 113–116, 119
 - non-prime, 115
- FiniteEnumeratedSet, 438
- FiniteField, 101, 115
- fixed point, 148
- flatten, 62, 67
- float, 101
- floating-point number, 25, 102
- floor, 9
- flow, 373–375, 393
- flow, 373
- for, 40, 42, 60, 62, 337, 342
- forget, 22
- formal power series, 106, 141, 143, 145, 421
- formula
 - Bailey-Borwein-Plouffe, 34
 - Sherman-Morrison, 435
- Fourier series, 75
- fourier_series_partial_sum, 75
- Frac, 141
- Frobenius normal form, 168, 171
- frozenset, 397
- function, 19, 214, 227
- function graph, 89
- function_factory, 420
- functional equation, 147
- Galois group, 140
- galois_group, 137, 140
- GAP, 5, 6, 358
- Gauss-Jordan elimination, 162
- Gauss-Kronrod method, 304, 306
- Gauss-Legendre method, 306
- Gaussian elimination, 159–161
- gcd
 - integers, 114, 116, 117
 - polynomials, 132, 261
- gcd, 132, 182
- Gear’s method, 317
- gen, 127, 190
- generator, 115, 127, 269, 270
 - of a polynomial ring, 177
 - programming, 265
 - vector space, 154
- genericity, 95
- gens, 154, 177
- genus, 191, 375
- genus, 191, 375
- geometry, 193, 195
- get_values, 389
- GF, 101, 115, 119
- gfun, 332
- Gibbs phenomenon, 75
- girth (graph), 364
- GL, 155
- global, 51
- GMP, 256
- GMRES, 299, 302
- GNU MPFR, 235, 296
- GNU/Linux, 4
- golden_ratio, 11
- Graph, 361, 362, 370, 371, 374
- graph, 89
 - adjoint, *see* line graph
 - bipartite, 365, 376
 - chordal, 372, 376
 - circulant, 363, 365
 - complete, 365
 - Eulerian, 376
 - families of graphs, 364
 - interval, 376
 - graph
 - k -connected, 373
 - Kneser, 364
 - perfect, 376
 - Petersen, 363, 364
 - planar, 364
 - random, 365, 373, 379, 381
 - small graphs, 363

- vertex-transitive, 364, 376
- graph coloring, 374, 377, 385
- graph isomorphism, 375
- graph minor, 375
 - forbidden, 364
- graph of a function, 73
 - differential equation solution, 80, 318
- graph paths
 - edge-disjoint, 373
 - vertex-disjoint, 373
- graph traversal, 372, 373
- Graphics**, 82, 89
- graphics, 15, 73–91
- Gröbner basis, 187, 190, 200, 203–211
 - computation cost, 209
 - definition, 205
 - reduced, 208
- group, 99
 - linear GL_n , 154
- GSL, 82, 310, 311, 318, 319, 437
- guessing, 145

- Hamiltonian cycle, 374, 395
- `hamiltonian_cycle`, 374, 375
- harmonic function, 33
- harmonic number, 117, 241
- hash table, 69
- help, 4, 11, 96
- Hermite normal form, 163, 407
- `hermite_form`, 164
- Hilbert matrix, 279, 293, 294
- histogram, 77, 89
- homogenize, 179, 188

- i (imaginary unit), 11, 103
- ideal
 - polynomials, 181, 182, 185
 - polynomials with an infinite number of variables, 180
- `ideal`, 134, 135, 182, 188
- identifier, 40
- `identity_matrix`, 154, 155, 290
- IEEE-754 standard, 234
- if, 49, 60
- `imag`, 103
- image, *see* graphics
 - of a function, 71
 - of a linear transformation, 166
- `image`, 160, 166
- immutability, 158, 362, 389
- immutable, 68, 70
- `implicit_plot`, 77, 89
- `implicit_plot3d`, 90
- `import`, 13, 40
- in, 58, 69, 70
- indentation, 7, 43, 44
- independent set, 367, 374, 380, 384
- `independent_set`, 367, 374, 384
- index, 65
- induced subgraph, 366, 381
- inequality, 25, 387
 - polynomial system, 195
- inert function, 420
- infinite, 236
- `InfinitePolynomialRing`, 179, 180
- `Infinity`, 11, 28, 335
- initial conditions, 214
- `inject_variables`, 426
- `insert`, 64
- instance, 93
- instruction block, 43
- `int`, 101, 335
- `Integer`, 102, 256
- integer
 - modulo n , 104
 - number, 101
 - part, 9, 21
 - ring, 113–115
- `integer_kernel`, 160, 167
- `IntegerListsLex`, 350, 351
- `IntegerModRing`, 101, 104, 113, 119
- `IntegerRing`, 101
- `Integers`, 101, 113
- `IntegerVectors`, 340
- integral, 33
- integral curve, 82, 89
- `integrate`, 30, 33, 310
- `integrate_numerical`, 34
- integration
 - numerical, 34, 303–314
 - symbolic, 30, 33
- `interreduced_basis`, 208

- intersection, 188, 190
- interval arithmetic, 256
- introspection, 96
- invariant factor, 164, 172
- invariant subspace, 168
- inverse
 - compositional (of a series), 141
 - modular, 114
 - power, 290
- inverse_laplace, 224, 227
- IPython, 5
- irrelevant_ideal, 188
- is_bipartite, 376
- is_cartesian_transitive, 376
- is_chordal, 372, 376
- is_connected, 373
- is_constant, 129
- is_eulerian, 376
- is_exact, 273
- is_hamiltonian, 375
- is_integral_domain, 126
- is_interval, 376
- is_irreducible, 135, 137
- is_isomorphic, 366, 375
- is_monic, 129
- is_noetherian, 131
- is_perfect, 376
- is_prime, 119
- is_pseudoprime, 119
- is_regular, 364
- is_ring, 131
- is_squarefree, 182
- is_tree, 376
- is_vertex_transitive, 364, 376
- is_zero, 23, 261
- iter, 342
- iterable, 337, 342
- iterator, 43, 44, 265, 345, 372
- itertools, 344

- jacobi, 121
- Jacobi symbol, 121
- jacobian_ideal, 188
- Jmol, 88
- Jordan
 - block, 174
 - form, 37, 167, 174
 - matrix, 174
- jordan_block, 154, 155, 160, 175
- jordan_form, 37, 38, 175
- Jupyter, 4, 5, 14

- Kash, 96
- kernel, 36, 37, 160, 166
- kernel, 160, 167
- keyboard shortcut, 7
- keys, 71, 348
- knapsack (problem), 391
- knot, 91
- Krylov sequence, 168

- label (graph), 362, 367
- lagrange_polynomial, 132, 272, 305
- lambda, 40, 59, 65
- Lapack, 292, 296
- laplace, 227
- Laplace transform, 223
- L^AT_EX, 74
- LattE, 351
- LaurentSeriesRing, 141
- lazy computation, 148
- LazyPowerSeriesRing, 148, 330
- lc, 179
- lcm, 117, 132, 182
- leading coefficient, 179, 180, 201
- leading monomial, 179, 180, 201
- leading term, 179, 180, 201
- leading_coefficient, 129
- left_kernel, 36, 37, 160, 167
- left_solve, 24
- Legendre polynomial, 35, 306
- Leibniz formula, 63
- len, 57, 66, 69, 335
- lex_BFS, 372, 376
- lexicographic order, 63, 202
- lhs, 24, 221, 227
- lift, 114, 134, 135, 187, 188
- lim, 28
- limit, 30
 - numerical approximation, 47
- limit, 28, 30, 403
- limit point, 227
- line, 79, 82, 89
- line graph, 371

- line3d, 91
- linear algebra, 35–38, 153–176
 - numerical, 277–302
- linear equation, 166
- linear programming, 373, 374, 387–399
 - over the integers, 388
- linear system, 166
 - solving, 160, 166
- linearization (trigonometrics), 21
- Linux, 4
- list, 57
- list, 129
- Little, John B., 177
- lm, 179
- log, 21, 122, 244
- logic, 103
- logistic map, 226
- loop
 - while, 43
 - early abort, 45
 - for (enumeration), 42
 - infinite, 63
- lt, 179
- Macaulay2, 199
- Machin’s formula, 31
- Machin, John, 31
- MacOS, 4
- Magma, 96, 97, 126
- Magnus effect, 85
- manual, 4
- map, 59, 62, 67, 69
- map_coefficients, 179
- Maple, 13, 14, 126, 332
- Masser-Gramain constant, 122
- matching, 373, 374, 392
- matching, 384
- matrix, 36, 37, 105, 153, 176, 277–302, 387
 - column, 156
 - companion, 169
 - decomposition, *see* matrix factorization
 - equivalence, 159, 162, 167
 - factorization
 - Cholesky, 283, 284, 288
 - LU, 163, 281, 283, 284, 291
 - QR, 284–286, 291, 292
 - inverse, 158
 - norm, 278, 285–287
 - normal form, 159, 162–164, 171
 - rank, 284–286
 - row, 156
 - similarity, *see* similarity (matrix)
 - transpose, 158
 - unimodular, 163
- matrix, 36, 37, 105, 135, 155
- matrix_block, 37
- MatrixGroup, 154, 155
- MatrixSpace, 101, 105, 153, 154
- max_cut, 375
- max_symbolic, 313
- Maxima, 6, 13, 14, 126, 219, 260, 311, 319
- maxspin, 160, 170
- Mendès France, Michel, 80
- method
 - bisection, 264
 - Brent’s, 275
 - false position, 267
 - Newton’s, 268
 - Newton-Cotes, 305
 - programming, 94
 - secant, 270
 - separation of variables, 222
 - Steffensen’s, 274
- Microsoft Windows, 4
- minimal polynomial, 37
 - algebraic number, 184
 - linear recurrence, 134
 - matrix, 37, 160, 169
 - vector, 169
- minimal_polynomial, 37, 160
- minor, 160
- minor, 375
- minpoly, 135, 160
- MixedIntegerLinearProgram, 388, 389
- mod, 114, 135, 181, 188
- modulus (complex number), 9, 103
- monomial order, 178, 180, 181, 201
 - change of order, 210
- MPFI, 247
- MPFR, *see* GNU MPFR

- MPolynomial, 179
- mq, 189
- `__mul__`, 94
- Muller, David E., 271
- Muller, Jean-Michel, 240
- multicommodity_flow, 375
- multiplicity, 186, 255, 260
- MuPAD, 97, 126
- MuPAD-Combinat, 332
- mutability, *see* immutability

- n*, *see* numerical_approx
- n*-tuple, *see* tuple
- NaN (Not a Number), 236
- new_variable, 390, 393
- next, 341, 342
- next_prime, 118
- None, 40, 51
- norm
 - of a matrix, *see* matrix norm
 - of a vector, 35
- norm, 35
- normal equations, 285, 286
- normal form
 - expression, 20, 22, 99, 110, 126
 - modulo an ideal, 187
- normal_basis, 191, 200
- not, 104
- notebook, 7
- NotImplementedError, 130
- nth_root, 21
- Nullstellensatz, 188
- number
 - Carmichael, 120
 - floating-point, 233
 - integer modular, 113–115
 - prime, 118–119
- number field, 38, 109, 135
- number_field, 135
- NumberField, 38, 106, 135
- numer, 94
- numerator, 141
- numerical approximation, 8, 45, 123, 138, 244, 277
 - differential equation, 316–321
 - equation solving, 255
 - integral, 303–314
 - limits, 32
 - solutions of equations, 25–26, 138, 198, 239, 276
- numerical sequence, 47
 - uniformly distributed, 79
- numerical_approx, 8, 11, 22, 103
- NumPy, 84, 273, 296

- object, 93
- object-oriented programming, 93–96
- objective function, 389
- ode_contrib, 216
- ode_solver, 82, 317
- odeint, 82, 89, 412
- one, 154
- oo, 11
- optimization, 387–399
- or, 104
- order
 - additive, 114
 - multiplicative, 114
- order, 361
- order of variables, 178
- OrderedSetPartitions, 340
- osculating circle, 88
- O’Shea, Donal, 177

- p*-adic number, 137
- Padé approximant, 143
- pairing, 384
- PALP, 351
- parametric curve, 76, 86, 89, 193
 - in 3D, 91
- parametric surface, 88
- parametric_plot, 76, 89
- parametrization, 86, 193
- parent, 97, 99, 127, 131
- parent, 114
- PARI/GP, 5, 6, 96, 273, 309, 312, 313
- partial differential equation, 214
- partial fraction decomposition, 19, 224
- partial_fraction, 19, 20, 224
- partial_fraction_decomposition, 141
- pass, 40
- periphery, 372
- Permutations, 378
- π (Archimedes’ constant), 11

- computation, *see* computation of π
- piecewise, 75
- pivot_rows, 160, 165
- pivots, 160, 165
- plot, 15, 30, 73, 89, 218, 257, 304, 370
- plot (differential equation), 218
- plot3d, 15, 88
- plot_histogram, 77, 89
- plot_points, 73
- plot_vector_field, 84
- point, 79
- point cloud, 79
- points, 79, 89
- polar coordinates, 35, 76
- polar_plot, 76, 89
- polygen, 126
- polygon, 89
- polymorphism, 95
- polynomial, 125–151, 177–211
 - Chebyshev, 133
- polynomial, 179, 180
- polynomial representation
 - dense, 150
 - recursive, 128, 179
 - sparse, 150
- polynomial ring, 126, 177, 273
 - with infinite number of variables, 180
- polynomial root, 255
- polynomial_sequence, 189
- PolynomialRing, 101, 126, 177, 179
- pop, 64, 70
- power, 8
- power method, 289–291, 300–302
- power series, 27, 30, 106
 - expansion, 30
- PowerSeriesRing, 106, 141
- prec, 146
- precision
 - arbitrary vs fixed, 235, 253
 - floating-point number, 233–236, 238, 239, 241
 - loss of, 238
 - numerical computation, 198
 - series, 146
- predator-prey model, 84
- primality, *see* number, prime
- primary normal form, 175
- prime_range, 120
- print, 40, 52, 56
- probability, 366
- procedure, 41, 50
- prod, 61
- product, 61
 - of graphs, 371, 376
- programming, 39–71, 341–347
 - method, 41
- projection, 192
- pseudo-division, 132
- pseudo-primality, 118
- pseudo_divrem, 132
- public server, 4–6
- Python
 - function, 41, 50
 - anonymous, 59
 - variable, 12–13
 - version 3, 39
- q -factorial, 442
- QQ, 101, 256, 273
- QQbar, 101, 138, 183, 273
- QUADPACK, 311
- quadratic residue, 121
- quadrature rule, 305
- quit, 40
- quo, 134, 135, 188
- quo_rem, 132, 181
- quotient
 - numerical, *see* arithmetic operations
 - polynomial ring, 186, 200
 - $\mathbb{Z}/n\mathbb{Z}$, 113
- quotient, 188, 190
- radical, 137, 188
- radical of an ideal, 188
- radius, 372
- radius of a graph, 372
- Ramanujan, Srinivasa, 32
- random, 79
- random walk, 79
- random_element, 129, 378
- random_matrix, 154, 155
- randrange, 77

- range, 44
- range, 44, 343
- rank, 160
 - matrix, 165, 168
 - profile, 160, 165
- rank, 165
- Rational, 93, 94
- rational
 - number, 102
- rational function, 19, 132, 140–141
- rational reconstruction, 116, 123, 141, 142
- rational_argument, 184
- rational_reconstruct, 141, 143
- rational_reconstruction, 116
- RationalField, 101
- raw_input, 57
- RBF, 246
- RDF, 130, 235, 253, 256, 273
- real, 103
- real_root_intervals, 137
- real_roots, 137, 273, 275
- RealBallField, 246
- RealField, 101, 235, 253, 256
- RealIntervalField, 245, 256
- Reals, 235, 256
- rectangle rule, 305
- recurrence, 43
- recurrence relation, 226–230
- recurrent sequence, 45–53, 134
 - drawing, 80
 - numerical stability, 239
- recurrent series, 145
- recursivity, 52
- reduce
 - list, 61
 - modulo, 134, 141, 187, 188
- reduce_trig, 21
- reduced echelon form, 162
 - transformation to, 162
- reduction of endomorphism, 160
- regular expression, 67
- remove, 65
- representation of polynomials
 - factored, 108
 - sparse, 179
- reset, 13, 41
- resolution
 - polynomial systems, 182
- resources, 4
- restore, 13
- resultant, 138, 194
- resultant, 137, 182, 191
- return, 40, 45, 51, 265, 345
- reverse, 63, 128, 129, 141
- rewriting, 203
- rhs, 24, 227
- RIF, 138, 245, 256, 273
- right_kernel, 36, 37, 160, 166, 407
- right_solve, 24
- root
 - n -th root, 9, 21
 - of a polynomial, 137, 238, 263
 - isolation, 262
- root_field, 257
- roots, 24, 25, 137, 196, 255, 260, 261, 275
- rounding, 234, 238, 243
- row_space, 37
- RR, 101, 256, 273
- RSA (cryptosystem), 115
- rsolve, 229
- Runge’s phenomenon, 305
- Runge-Kutta
 - method, 317
- Sage developers, 6
- Sage history, 6
- sage-support, xiii
- sage:, 7
- sagemath.org, 4
- SageMathCloud, *see* CoCalc, 4
- SageMathInc, 4
- save, 74
- scalar product, 35
- SciPy, 82, 83, 275, 276, 296, 298, 301, 302, 412
- sequence, *see* tuple
 - numerical, 28
 - Syracuse, 49
- series, 31, 241
 - alternating, 47
 - expansion, 148

- series, 30, 106
- Set, 69, 438
- set, 69
- set_binary, 390
- set_immutable, 158
- set_integer, 390
- set_max, 390
- set_min, 390
- set_objective, 389
- set_real, 390
- shortest path (graph), 372
- shortest_path, 372
- show, 74, 88, 367, 370, 385
- significand, 233–242
- similarity (matrix), 167, 171, 176
- similarity invariant, 168, 170, 172
- simplification, 11, 21, 22, 108
- simplify, 11, 20, 107
- simplify_factorial, 21
- simplify_full, 21
- simplify_rational, 20, 21, 333
- simplify_rectform, 21
- simplify_trig, 20, 21, 23
- sin, 21, 244
- Singular, 5, 6, 179, 199
- singular value decomposition, 284, 286, 287
- size, 361
- SL, 155
- small_roots, 130
- Smith normal form, 164
- smith_form, 160
- solve, 23, 24, 86, 182, 220, 389, 390
- solve_left, 36, 37, 160, 166
- solve_right, 36, 37, 160, 166
- solving
 - linear programming, 389
 - linear systems, 35
 - numerical equations, 23–26, 255–276
- sort, 63
- sorted, 64
- sorting, 63
- split, 66
- spreadsheet, 78
- sqrt, 21, 22, 38
- squarefree_decomposition, 137
- SR, 101, 150, 258
- SR.var, *see* var
- srange, 44
- SSP (subset sum problem), 392
- stable (graph), *see* independent set
- stack, 154
- staircase, 203, 204
- StandardTableaux, 340
- Stein, William, 6
- steiner_tree, 375
- str, 66, 101
- study of a function, 21
- Sturm sequence, 262
- subgraph, 371
- subgraph_search, 366, 375, 377, 383
- submatrix, 157
- submatrix, 154
- SubMultiset, 425
- subs, 18, 129, 179, 181
- subset sum, 392
- Subsets, 425, 444
- substitute, 18
- substitute_function, 420
- sum, 27, 30, 61, 342
- summation
 - compensated, 242
 - programming, 46
 - symbolic, 27, 30
- SVD, *see* singular value decomposition
- swap_columns, 160
- swap_rows, 160
- sxrange, 44
- symbolic expression, 10–14, 17, 103, 106–107, 110, 126, 150
 - function, 19
 - test of zero, 22
- symbolic function, 19, 227, 401
- symbolic variable, 13–14
- SymPy, 229
- system of equations, 35, 177, 387
 - differential, 224
- tabulation, 11
- Tachyon, 88
- tangent (to a curve), 268
- taylor, 30, 143, 401

- Taylor expansion, 30, 106
- Tenenbaum, Gérald, 80
- test of zero, 22
- test_poly, 178
- text, 89
- theorem
 - Borsuk-Ulam, 365
 - Cayley-Hamilton, 171
 - Chinese Remainder, 117
 - fundamental theorem of algebra, 257
 - Kuratowski's, 364
 - Menger's, 373
 - Pocklington's, 119
 - Schwarz', 33
- three.js, 88
- timeit, 115
- TimeSeries, 78
- trac.sagemath.org, xiii
- trace, 278, 287
- trace, 135
- transformation matrix, 164
- transformed_basis, 185, 210
- transpose, 158, 283, 285, 288
- transposition matrix, 159
- transvection, 159, 160
- trapezoidal rule, 307
- traveling salesman problem, 374, 395
- traveling_salesman_problem, 375
- tree, 365, 376
 - Steiner, 375
- tree, 365
- triangular decomposition
 - of an ideal, 197
- triangular form, 37, 161, 174
- triangular_decomposition, 185, 191, 197
- triangularization, *see* triangular form
- trig_expand, 402
- trig_simplify, 402
- trigonometric function, 9, 21, 244
- trigonometry, 209
- True, 11, 103
- truncate, 30
- truncation of a series, 141
- try, 40, 79
- tuple, 68
- ulp, 237
- ulp (*unit in the last place*), 237
- uniform distribution, 79
- union (of graphs), 366
- valuation, 132
- values, 71
- Vandermonde determinant, 108
- var, 13, 227
- variable
 - dependent, 214
 - independent, 214
 - Python, 41, 51
 - symbolic, 21
- variable_name, 129
- variable_names_recursive, 179
- variables, 129, 227
- variation of a function, 21
- variety, 183, 191, 196
- vector, 35
 - construction, 155
- vector, 35, 155
- vector space, 37
- vector_space_dimension, 191
- VectorSpace, 153
- Verhulst equation, 221
- vertex (graph), 361
- vertex_connectivity, 373
- vertex_cut, 373
- vertex_disjoint_paths, 373
- visualization, 74, 367
- WeightedIntegerVectors, 337
- while, 40
- Windows, 4
- with, 40
- x (symbolic variable), 13
- xgcd, 132
- xrange, 44, 343
- yield, 40, 265, 345
- Zariski closure, 190, 192
- zero, 154
- ζ (Riemann zeta function), 31, 49

zip, 69

ZZ, 101, 114, 256, 273