

Software Index

Page numbers in boldface indicate where configuration settings can be found in the users manual portion of this book.

- alphaCertified, 226, 227, 248, 328, 332
- AMPMaxPrec, 180, **305**
- AMPSafetyDigits1, **305**, 326
- AMPSafetyDigits2, **306**, 326
- ApCoCoA, 331

- Bermeja, 331

- CharacteristicClasses, 245
- CoeffBound, 132, **305**
- CondNumThreshold, 122, 123, 226, **313**, 328
- ConstructWitnessSet, 219, **317**
- CycleTimeCutoff, 53, **311**

- DegreeBound, 132, **305**
- DeleteTempFiles, 107, **321**
- DGP-Solver, 331

- EndgameBdry, 48, **310**
- EndgameNum, 47, **310**
- EndpointFiniteThreshold, 61, 99, 122, **313**, 327, 328

- FinalTol, 13, 46, 51, 53, 67, 68, 119, 120, 122, 130, 131, 137, 174, 177, **309**, 327
- FunctionTolerance, **312**

- _HAVE_MPI, 329
- HOM4PS-2.0, 333

- I, 37, 285
- ImagThreshold, 58, 122, 225, **313**, 328
- IntrinsicMultiplier, **321**

- JunkRemovalTest, **315**

- KhRo, 333

- LDTDepth, 173
- LocalDimFinder, 187, 332

- Macaulay2, 332
- Makefile, 273, 329
- MaxCodimension, 182, 183, **315**
- MaxCycleNum, 50, **311**
- MaxLDTDepth, 183, **316**
- MaxNewtonIts, **307**
- MaxNumBadMonoLoops, 177, **317**
- MaxNumberSteps, **308**
- MaxNumMonoLoops, 177, **317**
- MaxNumPtsForTrace, 176, 177, **316**
- MaxStepsBeforeNewton, **307**
- MaxStepSize, **308**
- MinCycleTrackback, 54, **310**
- MinStepSizeBeforeEG, **308**
- MinStepSizeDuringEG, **308**
- MPTType, 13, 14, 126, 128, 132, 136, 138, 180, **304**
- Multiplicity, 333
- MultOneOnly, **316**

- NbhdRadius, 51, **311**
- NeedToDiff, 107, **321**
- NumSamplePoints, 51-53, **310**, 325

- ODEPredictor, **307**
- _OPENMP, 329
- OutputLevel, **320**

- ParameterHomotopy, 105, 106, 117, 130, 131, **314**

- Paramotopy, 102, 332
- PathTruncationThreshold, 99, 309, 326
- PHCpack, 333
- Pi, 37, 285
- POLSYS_GLP, 333
- POLSYS_PLP, 333
- Precision, 13, 14, 126, 132, 138, 304
- PrintPathProgress, 320

- RandomSeed, 6, 136, 320
- RatioTimeCutoff, 53, 311
- RatioTolerance, 135, 313
- RegenHigherDimTest, 319, 327
- RegenRemoveInf, 319, 327
- RegenStartLevel, 318

- SampleFactor, 50, 53, 99, 310, 326
- ScreenOut, 320
- SecurityLevel, 60, 61, 64, 134, 293, 312, 326
- SecurityMaxNorm, 61, 62, 64, 99, 312, 326
- SharpenDigits, 120, 121, 124, 138, 177, 313, 327
- SharpenOnly, 122–124, 289, 314
- Singular, 332
- SingValZeroTol, 135, 321

- SliceFinalTol, 318
- SliceTolBeforeEG, 99, 318, 325
- SliceTolDuringEG, 99, 318, 325
- SpecificCodimension, 182–184, 315
- StepFailFactor, 309
- StepsForIncrease, 308
- StepSuccessFactor, 309

- TargetTolMultiplier, 122, 174, 177, 312
- TrackTolBeforeEG, 99, 306, 325
- TrackTolDuringEG, 99, 306, 325
- TrackType, 13, 14, 39, 89, 126–128, 132, 133, 136, 138, 157, 180, 290, 291, 301

- UseDiagonal, 319
- UseRegeneration, 84, 87, 89, 100, 317
- UserHomotopy, 37, 39, 40, 132–134, 314

- WitnessGenType, 166, 168, 183, 184, 315
- WitnessSupersetOnly, 89, 166, 316

Subject Index

- #, xiv
- \, xiv
- , xiv, 4
-
- \bar{A} , xiv
- ab initio phase, 101, 103, 104
- accuracy, 42
- adaptive multiprecision, 41, 45
- adjacent minors, 166, 168
- affine complex algebraic set, 17
- affine real algebraic set, 17
- algebraic set, 17, 144; *see also* affine real algebraic set; constructible set; quasi-projective algebraic set
- algebraic statistics, 246
- alpha theory, 226
- Alt's problem, *see* nine-point four-bar problem
- approximate solution, 226
- associated solution, 226

- Bézout number, xviii, 73–76, 78, 98, 184
- Bézout's theorem, 7
- Bell number, 72
- Bertini, 22
- Bertini doi, 273
- Bertini modules, *see*
 - LocalDimFinder;
 - Paramotopy
- Bertini's theorem, 22, 163
- bifurcation, 269
- bootstrap method, 261, 267
- branch point, 28, 48, 49, 244
- Bricard six-revolute (6R) mechanism, 154

- \mathbb{C} , \mathbb{C}^* , xiii
- $\mathbb{C}[\]$, xiv

- Cauchy endgame, 47
- cell decomposition, 227
- certification, 226, 248
- cheater's homotopy, 90
- chemistry, xvi
- Chern class, 245
- classical cascade, 162, 167, 183
- classical topology, 19
- closure, 20
- codimension, 148, 166
- comment character, 5, 274, 281
- complex dimension, *see* dimension
- complex plane, 146
- complex projective space, *see* projective space
- complex topology, 19
- complex versus real dimension, 224
- condition number, 12
- constructible set, 251, 252
- continuation, 24
- corank of a system, 162
- critical points, 209, 231, 237
- curve, 147
- cycle number, 47, 48, 52, 244, 326

- Darcy's law, 264
- Davidenko differential equation, 32, 33
- deflation, 149, 172, 189
 - isosingular, 216
- deflation sequence, 217
- degree, xiv, 144
- degrees of freedom, 155, 187
 - infinitesimal, 187
- dehomogenization, 61
- Denavit–Hartenburg parameters, 75
- dimension, 17, 19, 144, 147, 224
- dimension-by-dimension solving, 183
- discretization, 261

- discriminant variety, 251
 divergent path, 24
 domain decomposition method, 261, 268

 eigenvalue problem, 75
 elimination theory, 251
 endgame, 24, 34, 41, 47; *see also* Cauchy
 endgame; parallel Cauchy
 endgame; power-series
 endgame
 Cauchy integral, *see* Cauchy
 endgame
 endgame operating zone, 48, 325
 endgame setup, 48
 endpoints, 24
 Enneper surface, 255
 enumerative geometry, 247
 equation-by-equation, 71
 equidimensional, 147
 equilibrium states, xvi
 Euler's method, 34
 Euler-Newton step, 35
 extrinsic slicing, 85

 fiber product, 196
 filtering method, 261, 267
 first-order tracking, 34
 fixed-point homotopy, 129
 free boundary problems, 264
 function evaluation, 39

 gamma trick, 26, 32, 44, 45, 104, 176, 192
 general linear product, 80
 generalized eigenvalue problem, 74
 generically reduced, 149
 generically true, 21, 22
 geometric genus, 259
 good homotopy, 31, 129
 gradient descent homotopy, 248
 Grassmann variety, 210, 213
 Grauert's direct image theorem, 42
 Griewank-Osborne example, 10
 Griffiths-Duffy platform, *see*
 Stewart-Gough platform

 higher-order methods, 35
 homogeneous coordinates, xiv, 56
 homogeneous polynomial, 56
 homogenization, 61

 homotopy, 24, 30; *see also* cheater's
 homotopy; linear product
 homotopy;
 multihomogeneous
 homotopy; parameter
 homotopy; polyhedral
 homotopy;
 polynomial-product
 homotopy; regeneration
 homotopy; total-degree
 homotopy; user-defined
 homotopy
 homotopy continuation, 23, 24
 Hurwitz formula, 243
 hyperbolic conservation law, 266
 hypersurface, 144, 162

 implicitization problem, 251
 intrinsic slicing, 85, 198, 324
 inverse kinematics, 75
 irreducible algebraic set, 17, 18, 145
 irreducible component, 17, 145
 irreducible decomposition, 19
 irreducible polynomial, 17
 isolated solution, 20
 isosingular, 200
 isosingular deflation, 216
 isosingular local dimension, 219
 isosingular set, 210, 214, 218
 isosingular stabilization, 218, 219, 221, 304, 317

 Jacobian, 20
 join variety, 245
 junk point, 171, 172
 junk removal, 171

 k -fold, 147
 kinematics, 143

 Lagrange points, 90, 94, 101, 109
 likelihood function, 246
 limaçon, 232
 linear product homotopy, 71, 76, 80
 linear products, 76
 local dimension, 172, 187
 depth-bounded, 187

 Macaulay dual space, 173, 186
 depth, 188
 Macaulay matrix, 186

- manifold point, 17, 145
- marching method, 34
- maximum likelihood degree, 246
- maximum likelihood estimation, 246
- mechanism analysis, xvi
- mechanism mobility, 143
- mechanism synthesis, xvi
- membership testing, 160
- Minkowski product, 65
- Minkowski quotient, 66
- Minkowski sum, 82
- mixed volume, 82, 325
- monodromy group, 176
- monodromy loop, 173, 175, 176
- MPFR, 45
- multidegree, 73
- multidegree notation, xiv
- multidegree table, 73, 74, 77
- multihomogeneous Bézout number, 73, 101
- multihomogeneous homotopy, 71, 72, 78, 79, 100, 159
- multihomogeneous structures, 64
- multiplicity, 9, 12, 20, 32, 41, 42, 148, 184–186
 - convergent power series, 184
- nested parameter spaces, 111
- Newton homotopy, 129, 130, 133
- Newton polytope, 81
- Newton's method, 9, 35, 43, 119, 189, 266
- nine-point four-bar problem, 95, 109, 113, 323
- nondimensionalized variables, 91
- nonsingular, 9
- nonsingular solution, 20
- nonsolutions, 109, 168
- nonsquare system, xviii
- Nullstellensatz, 17
- numerical algebraic geometry, xv, 3
- numerical algebraic kinematics, xvii
- numerical elimination theory, xx, 251
- numerical irreducible decomposition, 19, 144, 150, 159
 - specific dimension, 181
- $O()$, xiv
- ODE predictors, 35
- off-line phase, 103
- on-line phase, 103
- open ball, 20
- overdetermined system, 14, 185
- \mathbb{P} , xiv
- parallel Cauchy endgame, 47
- parameter homotopy, 101, 104, 105, 331
- partitioned linear product, 80
- path tracking, 31, 32, 120
- path variable, 37
- paths, 24
- pejorative manifolds of Kahan, 46
- perturbation approach, 89
- phylogenetics, 245
- point, 147
- polar class, 245
- polyhedral homotopy, 71, 82
- polyhedral homotopy example, 83
- polyhedral mixed volume, 101
- polynomial, xiv
- polynomial-product homotopy, 81
- positive-dimensional, 143
- positive-dimensional run, 276
- power-series endgame, 47, 50, 326
- precision, 42
- predictor-corrector, 35
- probability one, 15, 21, 22, 26, 43, 103
- probability-zero event, 22
- projective patch, 62, 68
- projective plane, 56
- projective space, 51, 55
- pseudowitness point set, 253
- pseudowitness set, 251, 253, 259
- Puiseux expansion, 47, 326
- pure-dimensional algebraic set, 19, 144, 147
- quasi-projective algebraic set, 144
- \mathbb{R} , xiii
- radially symmetric solution, 264
- ramification point, 28, 49, 244
- random linear combination, 14
- random patch, 51, 68
- random seed, 6
- randomized system, 42
- randomizing a polynomial system, 22, 163
- rank of a system, 162

- real dimension, 17, 224
- real numerical irreducible
 - decomposition, 223, 240
- real radical ideal, 240
- reduced algebraic set, 145, 149
- reducible algebraic set, 145
- reduction to the diagonal, 196
- regeneration, 71, 83, 324, 327
- regeneration homotopy, 80, 84, 100
- regenerative cascade, 89, 162, 168, 183
- regular point, 9, 145
- rigid body, 58
- robot kinematics, 75, 107, 109
- robotics, xv
- root count, 73, 102

- salmon conjecture, 246
- sampling, 159, 219, 290
- Schubert problem, 247
- secant variety, 245
- serial-link robotic arm, xv
- sextic example, 105
- sharpening module, 121, 289, 327
- singular point, 9, 145, 209, 218
- singular set, 209
- singular solution, 9, 20
- singularity, 20
- six-revolute (6R) serial-link robot, 75, 154
- slice, 165
- smooth point, 21, 145, 147, 149, 201, 209, 218, 221, 225, 304
- Solar and Heliospheric Observatory satellite, 95
- solution set, 144
- square system, 14, 20, 184, 185
- start system, 24
- startpoint, 24, 105
- step sizes, 35
- Stewart–Gough platform
 - general, 107
 - Griffis–Duffy platform, 189
 - foldable, 156, 189
 - Type I, 155
 - Type II, 155
- straight-line program, 15, 323, 324
- strong entropy condition, 266
- Study coordinates, 59, 155, 189
- subfunctions, 15, 275, 276, 323
- Sudoku puzzle, 248
- surface, 145, 147

- target system, 24
- Terracini’s lemma, 245
- topology, *see* classical topology;
 - complex topology; Zariski topology
- total-degree homotopy, xviii, 24, 31, 32, 39, 72
- trace, 173
- trace test, 173
 - combinatorial, 175, 176
- tracker settings, 35
- tracking, 31
- tumor-aggressiveness factor, 264, 269
- tumor-growth model, 264, 269
- twisted cubic curve, 145, 202, 277

- unclassified point, 177
- underdetermined system, 14
- upper semicontinuity, 112, 115, 162, 217
- user-defined homotopy, xvii, 39, 40, 131, 134

- variable groups, 72

- WENO scheme, xvi, 266
- Wilkinson, 43
- winding number, *see* cycle number
- witness point, 150
- witness point set, 150
- witness set, 144, 150
 - print, 160, 179, 291

- \mathbb{Z} , xiii
- Zariski topology, 19